

Mortuary behaviour and cultural practices in pre-colonial West Central Africa: new data from the Iroungou burial cave, Gabon

Sébastien Villotte, Sacha Kacki, Aurélien Mounier, Pascal Mora, Loïc Espinasse, Jules Zamke Dempano, Christian Gerin, Quentin Meunier, Richard Oslisly

▶ To cite this version:

Sébastien Villotte, Sacha Kacki, Aurélien Mounier, Pascal Mora, Loïc Espinasse, et al.. Mortuary behaviour and cultural practices in pre-colonial West Central Africa: new data from the Iroungou burial cave, Gabon. Antiquity, 2021, 95 (382), z32s06pe23. 10.15184/aqy.2021.80. hal-03359504

HAL Id: hal-03359504 https://hal.science/hal-03359504

Submitted on 30 Sep 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Mortuary behaviour and cultural practices in pre-colonial West Central Africa: new data from the Iroungou burial cave, Gabon

Sébastien Villotte^{1,*}, Sacha Kacki^{1,2}, Aurélien Mounier^{3,4}, Pascal Mora⁵, Loic Espinasse⁵, Jules Zamke Dempano⁶, Christian Gerin⁶, Quentin Meunier⁷ & Richard Oslisly^{8,9}

- 1. PACEA, UMR 5199, CNRS, Université de Bordeaux, France
- 2. Department of Archaeology, Durham University, UK
- 3. Histoire Naturelle de l'Homme Préhistorique, UMR 7194, CNRS, MNHN UPVD, France
- 4. Leverhulme Centre for Human Evolutionary Studies, University of Cambridge, UK
- 5. Archéovision, UMS 3657, Université Bordeaux Montaigne, France
- 6. 3ID Gabon, Libreville, Gabon
- 7. Olam International Ltd, Libreville, Gabon
- 8. Cellule Scientifique, Agence Nationale des Parcs Nationaux, Gabon
- 9. UMR 208, IRD, MNHN, Paris, France
- * Author for correspondence: sebastien.villotte[at]u-bordeaux.fr

Abstract: This study presents preliminary results of recent explorations at Iroungou (Gabon), a pre-colonial burial cave containing scattered skeletal remains of at least 28 men, women and children. The individuals, whose crania show cultural tooth ablation, were buried with abundant metallic objects, a combination with no known equivalent in West Central Africa.

Keywords: Africa, Gabon, Iron Age, burial practices, collective burial, dental modification

Introduction

Knowledge of the ancient inhabitants ofWest Central Africa and their burial practices is very limited due to the lack of written sources and the scarcity of archaeological human remains in this part of the world. In this context, the discovery and analysis of the Iroungou Cave, Ngounié Province, Gabon (Figure 1), which contains thousands of scattered human remains associated with abundant artefacts, represents a wealth of exceptional and novel information.

The cave, discovered by Richard Oslisly in 1992 and first explored in 2018, is connected to the surface through two openings in its ceiling, and is today accessible only by abseiling. The cavity, 25m at its deepest, consists of four main levels, comprising a total area of approximately 2000m3 (Figure 1). Due to the difficulty in accessing and moving about within the cave—and to ensure the long-term preservation of the bones—only four expeditions have been carried out since 2018. All human remains were left in situ, while artefacts visible on the floor were collected after 3D photogrammetric and laser scanning recorded their locations.

A rich pre-colonial burial site

Skeletal elements and artefacts are scattered throughout the cave, with the densest accumulations directly below the identified openings in the ceiling (Figure 1). Skeletal preservation is highly variable, from complete to extremely fragmentary elements (Figure 2). Some of the bones are covered with sediment, encrusted in calcite or display rodent (porcupine) tooth marks, indicating post-depositional disturbances involving natural agents (gravity, water and animals). Conversely, there is no evidence for intentional manipulation of the remains by humans. Although very few anatomical associations are preserved (Figure 2c), all skeletal parts are represented, suggesting that cadavers, rather than dry bones, were either thrown from above or lowered into the cave.

Twenty bone samples of right femora were collected for dating purposes. Radiocarbon dates, from the samples that yielded enough collagen (n = 10), indicate that the cavity had been used

to inter corpses on two or more occasions during the fourteenth and fifteenth centuries AD (Figure 3), just prior to contact with the Portuguese at the end of the fifteenth century.

The associated artefacts include 486 iron and 26 copper objects, 127 Atlantic marine shells (15 of them being pierced), and 39 pierced carnivore teeth. The most represented metallic objects are bracelets and rings (38.7 per cent), knives (27.9 per cent), axes (13.5 per cent) and hoes (9.4 per cent). Unlike iron, copper sources are scarce in West Central Africa, and copper was considered a valuable metal for centuries in this area (Rademakers et al. 2018). The most likely source is the Mindouli area (Niari Basin, Republic of Congo), located approximately 400km from the site, which has been exploited since the thirteenth century (Rademakers et al. 2018).

Skeletal sample composition and body modifications

The minimum number of individuals (MNI) was assessed considering both the number of the most represented skeletal elements and age incompatibility. At least 24 adults (over 15 years old) were identified (based on the number of right segments of the mandibular corpus), as well as four non-adults. All age groups are represented from young children to middle-aged adults. From the in situ study of the accessible ossa coxae (Brůžek et al. 2017; Santos et al. 2019), the adult sample includes both females (MNI = 3) and males (MNI = 7).

Of the preserved maxillae (upper jaw) (MNI = 22), none displays central or lateral permanent incisors (Figure 4). This absence is not related to post-mortem losses, as alveolar resorption is evident in all cases. Instead, the symmetry of tooth loss and the systematic repetition in the sample clearly points towards ablation (the intentional removal of specific teeth), in the context of some cultural practice (Merbs 1968). No ablation is present in the Iroungou mandibles (lower jaws) with preserved incisal regions (MNI = 19). Ablation of anterior teeth alters pronunciation and induces highly visible changes in the facial characteristics (De Groote & Humphrey 2016), and thus acts as a strong ethnic marker. The systematic ablation at Iroungou suggests that all individuals shared at least some common values and beliefs. Intentional dental modification, including dental filling, chipping and ablation, has a long history in Africa. It has been repeatedly observed in skeletal remains of Africans (e.g. De Groote & Humphrey 2016), including those of slaves discovered outside the continent (e.g. Wasterlain et al. 2016). Interestingly, the ablation of all four upper permanent incisors (and none of the inferior ones) is a relatively uncommon form of dental modification in most parts of Africa. It has been mostly reported by nineteenth- and early twentieth century ethnographers for West Central Africa populations (van Rippen 1918; Lalouel 1950), suggesting a long history and possible continuity of bodymodification customs in the area.

Customary burials, sacrifice or elite mortuary practices?

While a number of Late Iron Age burials have been described inWest Central Africa (e.g. de Maret 1977; González-Ruibal et al. 2013), including some containing abundant iron artefacts, they mostly consist of deposits in burial pits located at open-air sites. The accumulation of bones of many individuals in a cave, associated with hundreds of metallic artefacts, has no known equivalent in the archaeological record of this region. The closest counterpart, both chronologically and geographically, is a thirteenth-century bone accumulation discovered in a former cistern in Benin City (Nigeria). This alleged mass burial contained the remains of more than 40 individuals (mostly young adult women), and has been interpreted as evidence of ritual sacrifice indicative of centralised authority (Connah 1975). Although such an interpretation cannot be asserted for Iroungou, the richness of the material associated with the bones at least excludes the possibility that the cave was solely used for common funerary practices.

The quantity of goods, demographic profile of the human assemblage and absence of obvious ante-mortem bone trauma also make improbable the connection of this deposit to warfare, and

suggest it may rather have been a special burial place for important individuals, and possibly their accompanying dead (retainer sacrifices). Future archaeological excavations and bioanthropological studies will endeavour to test this hypothesis.

Acknowledgements: We would like to thank Agence Nationale des Parcs Nationaux and Olam International in Gabon, which co-initiated and funded this study, as well as the Institut français du Gabon for their support, the Centre National pour la Recherche Scientifique et Technologique for authorising research in theGabonese national territory, and the two reviewers for their useful comments.

Funding statement: Fieldwork was funded by the Olam Sustainability Framework.

References

Bronk Ramsey, C. 2009. Bayesian analysis of radiocarbon dates. Radiocarbon 51: 337–60. https://doi.org/10.1017/S0033822200033865

Brůžek, J., F. Santos, B. Dutailly, P. Murail & E. Cunha. 2017. Validation and reliability of the sex estimation of the human os coxae using freely available DSP2 software for bioarchaeology and forensic anthropology. American Journal of Physical Anthropology 164: 440–49. <u>https://doi.org/10.1002/ajpa.23282</u>

Connah, G. 1975. The archaeology of Benin: excavations and other researches in and around Benin City, Nigeria. Oxford: Oxford University Press.

De Groote, I. & L.T. Humphrey. 2016. Characterizing evulsion in the Later Stone Age Maghreb: age, sex and effects on mastication. Quaternary International 413: 50–61. <u>https://doi.org/10.1016/j.quaint.2015.08.082</u>

González-Ruibal, A., M. Sánchez-Elipe & C. Otero-Vilariño. 2013. An ancient and common tradition: funerary rituals and society in Equatorial Guinea (first–twelfth centuries AD). African Archaeological Review 30: 115–43. <u>https://doi.org/10.1007/s10437-012-9124-x</u>

Hogg, A. et al. 2020. SHCal20 Southern Hemisphere calibration, 0–55 000 years cal BP. Radiocarbon 62: 759–78. <u>https://doi.org/10.1017/RDC.2020.59</u>

Lalouel, J. 1950. Les Babinga du Bas-Oubangui: contribution à l'étude ethnographique des Négrilles, Bakà et Bayakà. Bulletins et Mémoires de la Société d'Anthropologie de Paris 1: 175–211. <u>https://doi.org/10.3406/bmsap.1950.2870</u>

de Maret, P. 1977. Sanga: new excavations, more data, and some related problems. Journal of African History 18: 321–37. <u>https://doi.org/10.1017/S0021853700027298</u>

Merbs, C.F. 1968. Anterior tooth loss in Arctic populations. Southwestern Journal of Anthropology 24: 20–32. https://doi.org/10.1086/soutjanth.24.1.3629300

Rademakers, F.W., N. Nikis, T. De Putter & P. Degryse. 2018. Copper production and trade in the Niari Basin (Republic of Congo) during the 13th to 19th centuries CE: chemical and lead isotope characterization: copper production and trade in the Niari Basin (Republic of Congo). Archaeometry 60: 1251–70. https://doi.org/10.1111/arcm.12377

van Rippen, B. 1918. Practices and customs of the African natives involving dental procedures. Journal of the Allied Dental Societies 13: 1–22.

Santos, F., P. Guyomarc'h, R. Rmoutilova & J. Brůžek. 2019. A method of sexing the human os coxae based on logistic regressions and Brůžek's nonmetric traits. American Journal of Physical Anthropology 169: 435–47. <u>https://doi.org/10.1002/ajpa.23855</u>

Wasterlain, S.N., M.J. Neves & M.T. Ferreira. 2016. Dental modifications in a skeletal sample of enslaved Africans found at Lagos (Portugal): dental modifications in slaves from Portugal. International Journal of Osteoarchaeology 26: 621–32. <u>https://doi.org/10.1002/oa.2453</u>

Figure 1. a) Location map showing the Iroungou site; b) 3D rendering of the cave showing the main cave levels and the location of the major concentrations of archaeological remains. Credit: P. Mora and S. Kacki.




Figure 2. a–b) Examples of accumulations of human bones and artefacts; c) partially articulated lumbar vertebral segment and pelvis of a sub-adult. Credit: P. Mora.





Figure 3. Radiocarbon dates of bone samples from Iroungou Cave. Dates were calibrated with OxCal v.4.4 (Bronk Ramsey 2009), using the SHCal20 atmospheric curve (Hogg et al. 2020). Credit: S. Kacki



OxCal v4.4.2 Bronk Ramsey (2020); r:5 Atmospheric data from Hogg et al. (2020)

Figure 4. Photograph (a) and photogrammetric model (b) of crania showing incisor ablation. Credit: C. Gerin and P. Mora.

