



HAL
open science

Corrosion modeling of spent fuel – adsorption of O, O₂, H₂O and H₂O₂ on the UO₂ surface

Ine Arts, Rolando Saniz, Selma B. Mayda, Gianguido Baldinozzi, Gregory Leinders, Marc Verwerft, Dirk Lamoen

► To cite this version:

Ine Arts, Rolando Saniz, Selma B. Mayda, Gianguido Baldinozzi, Gregory Leinders, et al.. Corrosion modeling of spent fuel – adsorption of O, O₂, H₂O and H₂O₂ on the UO₂ surface. 52nd Journées des Actinides, Apr 2023, Dresde, Germany. . hal-03978484

HAL Id: hal-03978484

<https://cnrs.hal.science/hal-03978484v1>

Submitted on 8 Feb 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License



Corrosion modeling of spent fuel – adsorption of O, O₂, H₂O and H₂O₂ on the UO₂ surface

Ine Arts,¹ Rolando B. Saniz², Selma B. Mayda¹, Gianguido Baldinozzi³, Gregory Leinders⁴, Marc Verwerft⁴, Dirk Lamoen¹

1 EMAT, University of Antwerp, Groenenborgerlaan 171, B-2020 Antwerpen, Belgium

2 CMT, University of Antwerp, Groenenborgerlaan 171, B-2020 Antwerpen, Belgium

3 Université Paris-Saclay, CentraleSupélec, CNRS, SPMS, 3 rue Joliot-Curie, F-91190 Gif-sur-Yvette, France

4 Belgian Nuclear Research Centre (SCK CEN), Institute for Nuclear Materials Science, Boeretang 200, B-2400 Mol,

e-mail: ine.arts@uantwerpen.be

Uraniumdioxide (UO₂) is the main component of nuclear fuels. This compound is very susceptible to oxidation, which results in formation of the mixed-valence oxide U₃O₈. [1] From an application point of view, this interest relates to the safe and sustainable management of nuclear fuel. Our goal is an understanding of this oxidation process at the atomic level, using ab initio electronic structure calculations.

The focus in this work lies on the early oxidation of stoichiometric UO₂, where excess oxygen can be treated as interstitial point defects. In order to study this oxidation we investigate the adsorption of the O atom and oxygen containing molecules (O₂, H₂O, H₂O₂) on the three most stable UO₂ surfaces ((111), (110) and (100)). The calculations are performed within DFT, using PBE+U including spin-orbit coupling and taking into account the non-collinear 3k (transverse) magnetic ground state.

Dissociative adsorption is found for H₂O and H₂O₂ on the (111) and (100) UO₂ surface respectively, forming hydroxyl groups on the surface. Adsorption on the UO₂ surface lowers the barrier for dissociation of O₂. The defect formation energy is calculated for interstitial oxygen, up to several layers into the material starting from the surface. Additionally adsorption energies are studied as a function of temperature and partial pressure.

References

[1] E. De Bona, K. Pope, O. Walter, M. Cologna, C. Hennig, A. C. Scheinost, and D. Prieur., *Inorg. Chem.* **61**, 1843 (2020).

