

Coupling High-Energy Resolution Fluorescence Detected X-ray Absorption Spectroscopy with Microfluidic Cells for in Situ Monitoring of Tungsten Nanoparticles Redox Transformation

Amazigh Ouaksel, Vladimir Vidal, Olivier Proux, Christine Pailles, Jerome

Rose, Mélanie F Auffan

► To cite this version:

Amazigh Ouaksel, Vladimir Vidal, Olivier Proux, Christine Pailles, Jerome Rose, et al.. Coupling High-Energy Resolution Fluorescence Detected X-ray Absorption Spectroscopy with Microfluidic Cells for in Situ Monitoring of Tungsten Nanoparticles Redox Transformation. ACS Earth and Space Chemistry, inPress, 10.1021/acsearthspacechem.3c00217. hal-04291862

HAL Id: hal-04291862 https://cnrs.hal.science/hal-04291862v1

Submitted on 17 Nov 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1	Coupling high-energy resolution fluorescence			
2	detected X-ray absorption spectroscopy with			
3	microfluidic cells for in situ monitoring of			
4	tungsten nanoparticles redox transformation			
5	Amazigh Ouaksel ^a , Vladimir Vidal ^a , Olivier Proux ^b , Christine Pailles ^a , Jerome Rose ^{a,c} , Melanie Auffan ^{a,c,*}			
7	a. CEREGE, CNRS, Aix Marseille Univ, IRD, INRAE, Aix-en-Provence 13545, France			
8 9	 b. OSUG, UAR 832 CNRS - Univ. Grenoble Alpes, IRSTEA, INRAE, Météo-France, Grenoble 38000, France 			
10	c. Civil and Environmental Engineering, Duke University, Durham, NC 27708, USA			
11	Keywords			
12	Tungsten, speciation, redox, HERFD XAS, microfluidic, lab-on chip, in situ monitoring			
13 14				
15				
16				
17				
18				

19 Abstract

20 Tungsten is a redox-sensitive transition element of strategic importance for many industrial 21 applications. The functionalities of tungsten-based materials are highly dependent on W atomic 22 structure and oxidation state (0, IV and VI), and the same applies to the toxicity of tungsten compounds. However, assessing tungsten speciation and structural changes in complex 23 materials and environmental matrices, poses significant challenges necessitating highly 24 25 sensitive analysis as well as in situ monitoring at short timescale. We demonstrated that the better energy resolution in HERFD-XAS (energy bandwidth between 1.2 to 1.5 eV) at the L₃-26 edge with $L_{\alpha 1}$ and $L_{\beta 2}$ emission lines would allow the separation, characterization and 27 quantification of subtle changes in the XAS spectrum associated with specific electronic 28 29 transitions in W(0), W(IV) and W(VI). Moreover, HERFD-XAS combined with a microfluidic 30 chip proved suitable for in situ monitoring of changes in W redox states with second-scale temporal resolution. We pointed out that such an experimental setup would be particularly 31 32 useful for providing direct insight into the rapid changes in W speciation that would occur under oxidizing environmental conditions. 33

34

35

37 Graphical abstract



40 INTRODUCTION

Tungsten (W), a transition element of Group VIb, has proven to be strategic in a variety of 41 42 fields ranging from catalysis to electronics, due to the high strength and high melting point, resistance to corrosion and electrochromic properties of W metal, oxides, sulfides and alloys¹. 43 In particular, tungsten compounds are playing an important role in the energy transition 2 as 44 45 tungsten-based materials are used for energy storage technologies (as batteries and 46 supercapacitors), energy efficiency in buildings (as devices for smart windows that dynamically control heat and light transmission), renewable energy technologies (as high-47 48 efficiency solar cell and wind turbine components), nuclear energy (as structural materials and neutron reflectors), and in energy-efficient lighting applications (halogen lamps with high 49 luminous efficiency and long lifespan, light-emitting diodes,...)^{3,4}. 50

51 Tungsten-based materials functionalities are highly dependent on W atomic structures and 52 oxidation states (W(0), W(IV), W(VI)). But more than the functionalities, the toxicity of tungsten compounds is also speciation-dependent; lower oxidation state compounds being less 53 soluble, less bioavailable, and less toxic compared to those in higher oxidation states as W(VI) 54 55 ⁵. So far, the rate and mechanisms of metallic tungsten oxidative transformations are more documented in acidic or basic media ⁶⁻⁸ compared to biological or environmental media ⁹⁻¹¹. 56 57 Investigating thoroughly the electronic structure and local environments of tungsten species in 58 materials and environmental samples is then (i) crucial for unraveling the mechanisms behind their functionalities and (ii) essential to assess potential risks and therefore developing 59 appropriate safety guidelines ^{12,13}. 60

K-ray Absorption Spectroscopy (XAS) has long been a cornerstone technique to probe the
oxidation state, coordination environment, ligand identification, and sensitivity to structural
changes of metals and metalloids in liquid, solid, and biological matrices. It has been

successfully used to identify W speciation in bones ¹³, biological media ¹¹, materials ¹⁴, soils ¹² 64 and catalysts ¹⁵. Two commonly used detection modes in XAS at the W edges are conventional 65 total fluorescence yield mode (conv-XAS) 13,16 and High-Energy Resolution Fluorescence 66 Detection mode (HERFD-XAS)¹⁴. In conv-XAS, detection is typically performed using a 67 solid-state detector (SSD), with energy bandwidth between ~150 to 300 eV, by measuring the 68 main emission lines K_{α} (including both $K_{\alpha 1}$ and $K_{\alpha 2}$) or L_{α} (including both $L_{\alpha 1}$ and $L_{\alpha 2}$). The 69 detection limit with SSD can reach ~10 to 100 μ g.g⁻¹ in weight or <1 mmol.L^{-1 17}. In HERFD-70 XAS, the detection system is based on a crystal analyzer spectrometer (CAS) that allows a 71 72 better energy resolution (energy bandwidth typically ranging from 0.2 to 2 eV), reduces 73 background contributions, minimizes fluorescence from higher-energy scattering events, and enhances the sensitivity to weak fluorescence signals compared to conv-XAS ^{17,18}. HERFD-74 XAS is performed by measuring the evolution of the intensity of an emission line of interest or 75 part of it $(K_{\alpha 1}, K_{\beta 1,3}, L_{\alpha 1}, L_{\beta 2}...)$, the CAS being in most cases optimized at the maximum of 76 this emission line. Conv-XAS and HERFD-XAS can be both used for quantitative 77 determination of the oxidation state or coordination number of an element ¹⁹. However, the 78 higher energy resolution and improved signal-to-noise ratio in HERFD-XAS ²⁰ often lead to 79 80 more accurate quantitative results, particularly when the sample contains multiple species or 81 subtle spectral changes ¹⁷.

This paper aims to demonstrate the added value of HERFD-XAS compared to conv-XAS when deciphering the different oxidation states of W in mixtures. The higher energy resolution in HERFD-XAS would allow the separation and characterization of subtle changes in the XAS spectrum, such as sharp edges, fine structures, and small shifts associated with specific electronic transitions. As such, the better spectroscopic resolution of HERFD-XAS compared to conv-XAS would allow a more precise quantification of the different oxidation states of W in mixtures. For this, we probed the W L₃-edge by measuring the $L_{\alpha 1}$ and $L_{\beta 2}$ emission lines 89 attributed to the electronic transitions from vacant $3d_{5/2}$ ($L_{\alpha 1}$) and 4d ($L_{\beta 2}$) orbitals to $2p_{3/2}$ 90 orbital of the transition metal.

91 Both conv- and HERFD-XAS can be performed under in situ or operando conditions, allowing time-resolved monitoring of changes in speciation of metals and metalloids under different 92 experimental conditions. Various devices have been developed over the years for real-time 93 analysis. The dispersive XAS technique, which uses a curved crystal to disperse a 94 95 polychromatic X-ray beam over the sample, enables a detection speed for a complete EXAFS spectrum of 100 ps per spectrum ²¹. Quick-XAS, which uses a double-crystal monochromator 96 in continuous mode (instead of step mode), also enables rapid acquisition of a complete 97 spectrum for times of the order of a second ²². However, whatever the speed at which spectra 98 are acquired, the signal-to-noise ratio of the spectra represents a real limitation, and in all cases, 99 the sample is constantly evolving during acquisition. The integration of microfluidic chips with 100 101 XAS has emerged as a promising approach, opening up new avenues for studying, in situ and operando, chemical, physico-chemical and biological systems at a microscale ^{23–25}. Indeed, 102 103 there has been recently an increasing use of microfluidic cells in environmental applications as water treatment, carbon storage, phosphate immobilization, etc. ²⁶. These miniaturized 104 experimental devices, commonly referred to as "labs on chips," offer ideal micro-platforms to 105 106 study complex reaction kinetics, diffusion phenomena, and reaction mechanisms under controlled flow conditions, such as mixing, diffusion, and concentration gradients ²⁶. 107 Furthermore, one of the main advantages of microfluidic cells in environmental detection and 108 109 monitoring analysis is their ability to be easily combined with a wide range of optical, electrochemical, and mass spectrometry detection methods ²⁶. Herein, HERFD-XAS was 110 combined with a microfluid chip for in situ monitoring of changes in W redox states with an 111 112 enhanced temporal resolution. We suggest that such an experimental set-up would be of interest in providing direct insight into the fast changes (scale of seconds) in W speciation as it mightoccur in the oxidizing environmental conditions.

115 EXPERIMENTAL SECTION

116 Standard reference compounds and W nanoparticles

117 Three tungsten reference compounds (W, WO₂, WO₃) were purchased as dry powders from 118 (Merck[®]). The W powder is 99% certified pure metallic tungsten W(0) with particle sizes 119 smaller than 20 μ m and a density ranging from 18.7 to 19.3 g.cm⁻³ at 20 °C. The WO₂ and WO₃ 120 powders are micron-sized with a high purity level (trace metal analysis \leq 150 ppm) of tungsten 121 (IV) dioxide and tungsten (VI) trioxide respectively.

For microfluidic experiments, we used a suspension of metallic W nanoparticles (nanoW). They were produced via high-energy planetary ball milling following a previously described protocol ^{11,27,28}. These nanoW are crystallized metallic tungsten with an alpha phase structure. Their size distribution is centered on 216 nm (measured by SEM, see SI, Figure S1) and their surface-specific area measured by Brunauer–Emmett–Teller (BET) method ²⁹ at 3.2 ± 0.16 m².g⁻¹.

128 X-ray Absorption Near Edge Structure (XANES)

Conv-XANES spectra at the W L₃-edge (10 207 eV) were obtained on the FAME BM30b beamline, French Absorption spectroscopy beamline in Material and Environmental science at the European Synchrotron Radiation Facility (ESRF) in Grenoble, France (Figure 1 top). A Si(220) two-crystal monochromator was used and energy calibration was carried out by setting the first maximum derivative of the XANES spectrum of a W metal foil at 10 207 eV. The monochromator 1st crystal is liquid-nitrogen cooled, allowing to have an optimal energy selectivity, with a 1st crystal rocking curve close to the Darwin width ³⁰, i.e. 0.52 eV, and so to obtain spectra with an optimum resolution. For each tungsten reference compounds, 2 to 4
spectra were acquired in fluorescence mode using a 30-element Ge semiconductor detector
(Canberra).

HERFD-XANES spectra at the W L₃-edge with $L_{\alpha 1}$ (~8 397 eV) and $L_{\beta 2}$ (~ 9 961 eV) 139 emission lines were obtained on the FAME-UHD BM16 beamline, French Absorption 140 spectroscopy beamline in Material and Environmental sciences at Ultra-High Dilution at the 141 142 European Synchrotron Radiation Facility (ESRF) in Grenoble, France (Figure 1 bottom). The 143 same monochromator than on BM30b is used (liquid-nitrogen cooled Si(220) first crystal), with the same calibration procedure than for the conv-XANES measurements. For the 144 145 experiment with the $L_{\alpha 1}$ emission line the beam mode at the ESRF was 7/8+1 (200 mA in topup mode, with a refill every hour) and the CAS used 14 crystals Si(444). For the experiment 146 performed with the $L_{\beta 2}$ emission line the beam mode at the ESRF was 16 bunch (60-70 mA in 147 top-up mode) and the CAS used 14 crystals Si(555). On both cases, the CAS was aligned with 148 central crystal at 90° with respect to the incident beam, and the other distributed at $\pm 30^{\circ}$ with 149 respect to the central one (Figure 1 bottom). 150

151 Selected photons, diffracted by each crystal analyzer, were collected by either a 2D hybrid pixel detector (S70 ImXpad) for the alignment procedure and for the reference compounds 152 153 measurements (thanks to its high dynamic range), or an energy-resolved silicon drift detector (AXAS-M Ketek) for the diluted samples measurements (thanks to its energy resolution which 154 allows to discriminate the diffracted photons of interest from the scattered photons due to other 155 emission lines, Thompson and Compton processes). CAS selected energy bandwidths were 156 estimated by measuring the pseudo-elastic peaks corresponding to each reflection, respectively 157 1.2 eV and 1.5 eV for $L_{\alpha 1}$ and $L_{\beta 2}$ (Figure 2 top). After CAS calibration, corresponding non-158 resonant X-ray emission spectroscopy spectra were measured (Figure 2 bottom). In both cases, 159

positions of the emission lines are found to be independent of the W valence. The emission energy selected by the CAS was then fixed to 8 699.5 eV and 9 964.5 eV for $L_{\alpha 1}$ and $L_{\beta 2}$ HERFD-XAS measurements respectively.

For both conv- and HERFD-XANES analyses, meticulous care was taken during the 163 preparation of the pellets of the solid reference compounds. Indeed, the quality of XANES 164 spectra with minimal signal-to-noise ratio depends on concentration, homogeneity, and 165 thickness of the samples ^{17,31}. Initially, solid tungsten powders were finely ground and mixed 166 with boron nitride at concentrations of 3000 mg.kg⁻¹ for W, WO₂, and WO₃. The diluted 167 powders were homogenized using a homogenizer (WAB-Turbula[®], Switzerland) and then 168 pressed into 5 mm diameter-pellets. Radiation damages during spectrum acquisition (photo-169 oxidation and/or reduction) is a critical concern especially for redox-sensitive elements like 170 tungsten¹¹ under both conventional and HERFD XAS modes. But as the characteristic features 171 172 of the HERFD-XANES can be more marked than conv-XANES, the consequences of beam damages on the HERFD-XANES shape may appear enhanced ¹⁷. To minimize these radiation 173 174 damages, pellets analyses were performed using a cryostat at liquid helium temperature and 175 scans (2 to 4 scans per samples) were measured on different areas of the pellets.







- 179 for conventional total fluorescence yield mode (top) and on the FAME-UHD beamline (BM16,
- 180 ESRF) for HERFD detection mode (bottom).



Figure 2. CAS selected energy bandwidths, estimated from the pseudo-elastic peaks and corresponding to the optimization around the $L_{\alpha 1}$ (left) and $L_{\beta 2}$ (right) emission lines (top). Non-resonant X-ray Emission Spectroscopy $L_{\alpha 1}$ (left) and $L_{\beta 2}$ (right) spectra of the three model compounds (bottom). Incident photons energy was fixed to 10 400 eV during XES acquisition.

189 XANES data processing

XANES data reduction was performed with ATHENA software ³². To assess whether a better 190 191 spectroscopic resolution by HERFD-XAS would allow a more accurate quantification of the different oxidation states of W in mixtures compared to conv-XAS, we theoretically-generated 192 193 3 datasets of more than 30 artificial W multicomponent spectra. These theoretically-generated 194 mixtures were obtained via linear combinations of the conv-XANES or HERFD-XANES ($L_{\alpha 1}$ and L_{B2}) spectra of the three W reference compounds described above (W, WO₂ and WO₃). 195 Each theoretically-generated mixture was a combination of the three reference compounds, 196 with a minimum contribution of each compound of 10% of the total mixture. A noise 197 198 corresponding to 2% of the edge step was added to generate theoretical spectra for further Linear Combination Fit (LCF) analysis. This signal-to-noise ratio was estimated on the edge 199 200 and post-edge regions of experimental XANES spectra measured on environmental samples (sediments, living organisms) containing 2 to 135 mg W.kg⁻¹ (Figure 3). This signal-to-noise 201 is close to the one used in Saurette et al. ³³ and 10 times higher than the one used in Proux et 202 al.¹⁷. LCF was applied to fit the theoretically-generated spectra with the reference compounds 203 204 (W, WO₂ and WO₃). For LCF, the uncertainty on the amount of each component was estimated to be approximately 10% of the total amount of the target element ³⁴. Consequently, the 205 206 attribution of species with values less than 10% should be considered with caution especially 207 if these species do not present striking spectral features.



208

Figure 3. HERFD-XANES (W L3-edge with $L_{\alpha 1}$ emission) spectra of environmental matrices (macrophytes, and sediments initially contaminated with nanoW). The total W concentration in these samples were ranged between 2 to 135 mg W.kg⁻¹.

212 Microfluidic device design and HERFD-XAS measurements

The microfluidic cell used was manufactured by stereolithography (3D Printer, Formlabs Inc.) using a Clear resin[®] in order to be X-ray-compatible via an X-ray-transparent window at the cell outlet. The cell contained Y-shaped input channels (800 μ m radius tubes) joining into to a 115 mm long channel connected to a Kapton tube (10 mm length, 750 μ m internal radius). HERFD-XAS measurements were performed in the Kapton window at the L₃-edge with $L_{\beta 2}$ emission line with X-ray beam dimensions of 200 μ m x 100 μ m. The microfluidic unit was set vertically and perpendicularly to the X-ray beam on an x-y-z stage for precise manipulation and alignment, and in Bragg conditions for the detection by the CAS (see SI, Figure S2). To
precisely control fluid flow rates and to probe different reaction times at a second scale the
flow was controlled in the two channels by a peristaltic pump (BT100S-1, Lead Fluid).

223 The first channel of the microfluidic device was connected to a suspension containing the nanoW at a concentration of 1.14 g of W.L⁻¹ diluted in Volvic[®] water with 2 mmol.L⁻¹ of 224 225 potassium hydrogen phthalate (C₈H₅KO₄). The pH and Eh of this suspension were 4.6 ± 0.1 226 and 163 ± 1 mV. The potassium hydrogen phthalate (C₈H₅KO₄) was used to prevent the oxidation of the nanoW and to stabilize the pH around 4³⁵. To confirm such a chemical stability, 227 228 this nanoW suspension was circulated in the microfluidic device in closed-loop mode for 3h. In this control experiment, the Eh $(142 \pm 1 \text{ mV})$ and the pH remained stable (pH between 4.6 229 \pm 0.1 at t₀ and 4.9 \pm 0.1 at t_{3h}). No change in the shape or intensity of the HERFD-XANES 230 spectra were observed over time (see SI, Figure S3) confirming the chemical stability of the 231 nanoW during at least 3h. 232

The second channel of the microfluidic device was connected to a 0.8% H₂O₂ solution. By 233 adjusting the flows in the two channels at 204, 102, 76, 61 µL.s⁻¹ we monitored the oxidation 234 235 state of nanoW after 0.75 s, 1.5 s, 2 s, and 2.5 s of interaction with H₂O₂. For the shorter and longer reaction time points of 0.75 s and 2.5 s, the Reynolds numbers in the cell were 213 and 236 64 respectively, indicating a laminar flow regimen ³⁶. For each reaction timepoint, 2 to 3 scans 237 238 (9 min / scan) were averaged to obtain the final HERFD-XANES spectrum. In such configuration, the nanoW exposure to the X-ray beam is 1.2 to 4.2 ms (100 µm of beam height) 239 240 minimizing beam damage.

Additionally, longer reaction times of 10, 19 and 28 min were examined. In that purpose, the microfluidic device was used in a closed-loop mode: the two input channels and the cell outlet were connected to the same beaker with a constant flow rate of 220 μ L.s⁻¹ in the cell . Forty

mL of the nanoW suspension (at 1.14 g W.L⁻¹ diluted in Volvic® water and with 2 mmol.L⁻¹ of 244 potassium hydrogen phthalate) were mixed with 0.5 mL of H₂O₂ (30%). pH at 4.4 ± 0.1 and 245 246 Eh 153 ± 1 mV were measured right after the mixing and reach 3.32 and 213 mV respectively at the end of the 28 min-experiment. In that setup, each HERFD-XANES spectra acquisition 247 last 9 minutes with a one-minute delay prior starting data acquisition. LCF was applied on the 248 249 first derivatives of the spectra acquired in closed-loop mode. These LCF were performed using 250 the spectra of W(0), WO₂ (IV), and WO₃ (VI) solid reference compounds, and the spectra of dissolved W(VI) obtained after dissolution of WO3 in milli-Q water followed by an 251 252 ultrafiltration at 3 KDa (Amicon).

253 RESULTS and DISCUSSION

254 Contribution of HERFD-XANES to the detection and quantification of different 255 oxidation states of W in mixtures

256 The W L_3 -edge spectra obtained using the three previously described fluorescence measurements mode and for three W model compounds (W, WO₂, and WO₃) are gathered on 257 Figure 4. The first observation one can make is that, for a given model compound, the spectral 258 resolution of the conventional spectrum is lower than the HERFD ones. Such improvement is 259 well-known and well documented since the first paper by Hämäläinen et al. ³⁷. Briefly, this was 260 attributed to the relevant core-hole lifetimes involved in the processes. In conventional mode, 261 the final state has a core-hole on the $2p_{3/2}$ level with a lifetime of 4.81 eV ³⁸. In HERFD mode, 262 the final state has a core-hole on the $3d_{5/2}$ level (case of $L_{\alpha 1}$ -HERFD measurement) with a 263 lifetime of 1.7 eV, or on the 4d ones (case of $L_{\beta 2}$ -HERFD measurement) with a lifetime of 264 around (4 eV) ³⁸; the fluorescence lines corresponding to the $3d_{5/2} \rightarrow 2p_{3/2}$ ($L_{\alpha 1}$) and $4d \rightarrow$ 265 $2p_{3/2}(L_{\beta 2})$ transitions. HERFD measurements are possible when the energy bandwidth of the 266 fluorescence measurement is lower than these characteristics lifetimes, which is the case here. 267

In conventional mode, different absorption features are observed at approximately 10 209, 10 268 213, and 10 214 eV for W(0), W(IV)O₂, and W(VI)O₃ respectively. Despite these shifts in 269 energy, these 3 spectra did not exhibit any marked features. In HERFD mode, a significant 270 271 shift of the absorption energy was observed between the HERFD-XANES spectra of W(0) (10 207eV) and W(IV)O₂ (10 212 eV) with sharper features compared to conv-XANES. Moreover, 272 the HERFD-XANES spectrum of W(VI)O₃ exhibited a splitting of the white line not detected 273 274 in conv-XANES, with two distinct peaks at 10 211 and 10 215 eV. Similar sharper features and white line splitting were observed with both $L_{\alpha 1}$ and $L_{\beta 2}$ emission lines. The spectral 275 resolution is slightly better using the $L_{\alpha 1}$ emission line than the $L_{\beta 2}$ one and definitely better 276 when compared with the conventional mode, which is consistent with the fact that the 277 corresponding probed core-hole lifetimes evolve in the same way: 1.7 eV ($L_{\alpha 1}$ -HERFD-mode) 278 < 4eV ($L_{\beta 2}$ -HERFD-mode) < 4.81eV (conv-mode). 279

XANES around the W L₃-edge consists of electron transitions from 2p_{3/2} orbitals to vacant 5d 280 orbitals. The two peaks in the white line of W(VI)O₃ are due to the splitting of the 5d states 281 into 5d(t2g) and 5d(eg) sub-bands ¹⁶. In our experimental configuration, the HERFD-XANES 282 spectra were sufficiently resolved to distinguish the splitting of the white line which 283 284 characterizes the octahedral coordination of W(VI) in WO₃ powders. These findings are 285 consistent with a previous study on the thermochromic phase transition in $CuMo_{1-x}W_xO_4$ solid solutions at the W L₃-edge using resonant X-ray emission spectroscopy ¹⁴. These authors 286 287 highlighted that the crystal-field splitting energy for octahedral coordination is approximately 3-4 eV. Herein, the obtained value is completely coherent with this splitting. 288

Such features can also be observed on HERFD-XANES spectra (W L₃-edge with $L_{\alpha 1}$ emission) of environmental samples (macrophytes and sediments containing 2 to 135 mg W.kg⁻¹) initially contaminated with nanoW (Figure 2). In these samples, the white lines are shifted to energies corresponding to oxidized form of W with more or less marked splitting. In environmental
sciences, such a precise discrimination of the local structure around the W atom allowed by
HERFD-XAS is crucial since different tungsten oxidation states (0, IV, or VI) and different
coordination (tetrahedral or octahedral) can be evidenced.



296

Figure 4. XANES spectra of W(0), W(IV)O₂ and W(VI)O₃ standard reference compounds obtained at the W L₃-edge in both conventional and HERFD modes with $L_{\alpha 1}$ and $L_{\beta 2}$ emission lines respectively.

301 Quantitative comparison of HERFD and conventional XANES spectroscopy

Following the approaches outlined by Proux et al. and Saurette at al. ^{17,33}. LCF analysis were 302 303 carried out on the 3 sets of theoretically-generated spectra acquired in conventional, HERFD $L_{\alpha 1}$ and HERFD $L_{\beta 2}$ modes respectively. Then the standard errors between the theoretical 304 percentage of compounds used and the percentages obtained by LCF were calculated (Figure 305 5 and Table 1). The standard errors ranged from 1.2 to 2.3 % for the conventional mode while 306 307 they were ≤ 0.4 % and ≤ 0.9 % for the $L_{\alpha 1}$ and $L_{\beta 2}$ HERFD modes respectively. For W(0) quantification, the standard errors for $L_{\alpha 1}$ and $L_{\beta 2}$ HERFD datasets were 4.5 and 2.5 times 308 lower than conv-mode. For W(IV)O₂ quantification, the standard errors for $L_{\alpha 1}$ and $L_{\beta 2}$ 309 HERFD datasets were 6 and 2.6 times lower than conv-mode. For W(VI)O₃ quantification, the 310 standard errors for $L_{\alpha 1}$ and $L_{\beta 2}$ HERFD datasets were 4 and 1.5 times lower than conv-mode. 311 312 Such improvements in the precision of LCF were already observed in the literature when using HERFD-XANES spectra at the As and Hg-edges compared to conv-XANES spectra. Proux et 313 al. ¹⁷ observed a 8-fold improvement in precision when applying LCF to reconstruct 50 314 315 theoretical spectra, using HERFD-XANES spectra of four mercury reference compounds. Saurette et al. ³³ calculated the standard error of the LCF with 8 As reference compounds 316 (reconstruction of 3500 computer-generated arsenic mixtures) of the HERFD-XANES and 317 compared to the LCF of the transmission-XANES spectra. The authors observed am 318 improvement in the precision of the LCF when using HERFD-XANES for 4 out of the 8 As 319 320 reference compounds investigated. These improvements are in good agreement with our study.

The XANES signal of W(IV)O₂ is particularly interesting to consider since it shows the highest
improvement in term of quantification using HERFD-XANES. Indeed, spectra reconstruction
using LCF is greatly influenced by the spectral features of the reference compounds. Herein,
HERFD-XANES spectra of W(IV)O₂ reference compound were sharper and exhibited higher

325 spectral resolution compared to the conventional mode which resulted in a more precise 326 detection and quantification. This is of major interest, as it enables the W(IV) oxidation state 327 (important intermediary product during the tungsten oxidation and dissolution) to be 328 distinguished from other oxidation states and quantified when studying oxidative 329 transformations of tungsten.



Figure 5. Comparison of the theoretically percentage used to create the theoretically-generated spectra versus the percentages determined from LCF. Results from conv-mode are in blue, from $L_{\alpha 1}$ HERFD-mode in red, and from $L_{\beta 2}$ HERFD-mode are in green. LCF that perfectly replicated the data would result in points that align along a line with a slope of 1 (grey dashed line).

Table 1. Standard errors in percentage for LCF results for each W reference compound, in all
theoretically-generated mixtures (conv-XANES and HERFD-XANES). A lower value
indicates LCF results close to the theoretical mixture composition.

XANES ACQUISITION MODE	W(0)	W(IV)O ₂	W(VI)O ₃
CONVENTIONAL	1.3	2.3	1.2
HERFD $L_{\alpha 1}$	0.3	0.4	0.3
HERFD $L_{\beta 2}$	0.5	0.9	0.8

339

HERFD-XAS and microfluidic coupling for improved temporal resolution and monitoring of short kinetics transformation of W compounds

In addition to discriminate and quantify the different oxidation stages of W in mixtures, XAS-342 343 HERFD can also respond to another challenge in environmental sciences: understanding the tungsten oxidation process on short timescales in situ. Indeed, tungsten oxidation kinetics and 344 345 mechanisms can be complex in the environment, involving multistep reactions and 346 intermediate species formation¹¹. These complexities arise from the multiple oxidation states of W, but also from the variations in environmental conditions in term of pH, Eh, temperature, 347 348 illumination, ionic strength, as well as the presence of other aqueous species or biota. All these parameters may enhance or inhibit W oxidation and consequently its impacts of human and 349 environmental health ^{39,40}. 350

Recently, Sanles-Sobrido et al.¹¹ proposed a pathway explaining the oxidation of metallic W particles in biological media with three interfaces defined between the W(0) particle core, a WO₂ subsurface layer, a WO₃ surface layer and W aqueous species ¹¹. The authors highlighted that even if WO₂ solid phase is not thermodynamically stable in these biological media (pH>6 and positive Eh) ⁴¹, it can be considered as an important intermediary product during the tungsten oxidation and dissolution ^{11,42}. However, Anik and Cansizoglu ⁴³ did not mention WO₂
in the dissolution process of WO₃ in more acidic solutions ⁴³. It is noteworthy that in both
Sanles-Sobrido et al. ¹¹ and Anik and Cansizoglu ⁴³ the reaction kinetics are studied at an hourscale (first time point at 2h and 30 min respectively). Herein, we studied whether the
combination of XAS-HERFD at the W L₃-edge with microfluidic chips would provide an
interesting platform for time-resolved and *in situ* monitoring of the tungsten oxidation kinetics.

362 The microfluidic cell described above has been set at the end station of the FAME-UHD beamline. The flow was controlled in the two channels to maintain fluid flow rates between 363 204 and 61 µL.s⁻¹ and to test different reaction times between nanoW (injected in one channel) 364 365 and H₂O₂ (injected in the second channel) at the second- and minute-scale (Figure 6 left). Of 366 course, these experimental conditions are far from environmentally relevant ones, but they allow us (i) to ensure about the chemical stability of the nanoW at t₀ using the potassium 367 hydrogen phthalate buffer and (ii) to adjust the oxidation kinetics of these nanoW using H₂O₂ 368 to a few seconds to test the validity of the proposed approach. 369

370 We first used the microfluidic cell in a closed-loop setup. The XANES spectra given in figure 6 at 10 min, 19 min, and 28 min highlighted respectively the transformation occurring between 371 1-10 minutes, 10-19 min, and 19-28 minutes of interaction between nanoW and H₂O₂. These 372 three spectra were characterized by one large white line shifted to energy corresponding to 373 oxidized species of W. The first derivatives of these experimental HERFD-XANES spectra 374 were fitted using LCF of the spectra of the reference compounds (Figure 6 right). Based on 375 O'Day et al.⁴⁴, the uncertainty on the quantification of each contribution is assumed to be about 376 20%. From LCF, metallic W and dissolved W(VI) were detected in the suspension whatever 377 the sampling time at the limit of the uncertainty. The proportion of metallic W decreased from 378 $65\% \pm 13$ (at 10 min) to $39\% \pm 8$ (at 28 min) and the proportion of dissolved W(VI) increased 379 from 35 % \pm 7 (at 10 min) to 61 % \pm 12 (at 28 min). Sanles Sobrido et al.¹¹ proposed an 380

381 oxidative dissolution model limited by diffusion from the surface. In such a case, we estimated
382 that the metallic core of the nanoW would be shrunk by ~14 nm between 1 and 10 minutes and
383 by ~29 nm between 19-28 minutes.

Using the open-loop setup, the first reaction timepoint analyzed was at 0.75 s. Between 0.75 to 384 1.5 s, we did not observe significant change in the oxidation state of nanoW which remained 385 centered on the absorption energy of the W(0) reference compounds. After 2s, an oxidation of 386 387 the nanoW in contact with H₂O₂ is visible with an enlargement of the white line and shift toward higher absorption energies in line with the signature of $W(IV)O_2$ and $W(VI)O_3$ 388 reference compounds. In particular, the splitting of the white line at 2.5s could highlight the 389 presence of W(VI) with an octahedral geometry ¹⁶. At the end of the XAS acquisition in the 390 open-loop mode, the final pH and Eh were measured at 2.9 ± 0.1 and 261 ± 2 mV respectively. 391 This acidification is related to the protons that are released during the W(0) oxidation in W(VI) 392 393 in contact with H₂O₂. However, the low signal-to-noise ratio limit deeper discussion and possible quantification using LCF. Indeed, such open-loop setup is relevant to acquire 394 information on changes of nanoW speciation after few seconds of interaction with oxidizing 395 molecules. Although, one drawback to get an acceptable signal-to-noise ratio is that it requires 396 397 a compromise between the amount of reactant used and the duration of the scans, considering 398 that a minimal fluid flow rate is needed to ensure the particle circulation in the cell.

Allowing the manipulation of the flow rate, of the pH/Eh conditions, and the composition of media (e.g. freshwater, saline water, interstitial water, biological media) in the channels, such HERFD- XAS-microfluidic cell coupling would allow precise and reproducible conditions when investigating the W oxidation kinetics and mechanisms at short (second) timescales. Such coupling is opening new perspectives to decipher the underlying mechanisms governing the rapid oxidation of tungsten in biological and environmental media as well as the durability of the W submicronic materials.



Figure 6. HERFD-XANES spectra (left) and first derivatives (right) at the W L₃-edge with L_{R_2} 407 emission line measured at increasing reaction times between a nanoW suspension and H₂O₂ 408 solution. Reaction times at the second-scale were obtained with the microfluidic cell in open-409 loop setup (•) while those at the minute-scale were obtained with the closed-loop setup (\Box) . 410 Experimental XANES spectra are compared with W(0), WO₂(IV), and WO₃(VI) solid 411 412 reference compounds, and with dissolved W(VI) reference obtained after dissolution of WO3 413 in milli-Q water followed by an ultrafiltration at 3 KDa. First derivatives of the experimental XANES spectra were fitted using linear combination fits (LCF) of the previously cited 414 reference compounds. 415

416

417

418

419 CONCLUSION

420 Tungsten can be exposed to diverse environmental conditions, including freshwater, saline421 water, soil, sediment as well as biota. Each environment has its unique set of chemical species,

pH levels, redox potentials, and temperature variations, which can significantly influence the 422 oxidation kinetics and mechanisms. Studying tungsten oxidation in such reactive environments 423 requires carefully designed experiments. This papier highlights the ability of coupling 424 425 microfluidics with HERFD-XAS to fill this gap. We demonstrated that the high energy 426 resolution in HERFD-XAS would allow the separation, characterization, and quantification of 427 subtle changes in the XAS spectrum, such as sharp edges, energy shifts and white line splitting 428 associated with specific electronic transitions of W. We were able to quantify to which extend the better spectroscopic resolution of HERFD-XAS compared to conv-XAS would allow a 429 430 more accurate estimation of the different oxidation states of W in mixtures. Moreover, HERFD-431 XAS has been combined with a microfluid chip for in situ monitoring of changes in W redox states with enhanced temporal resolution. We highlighted that such experimental set-up would 432 433 be particularly valuable to provide direct insight into the fast changes (scale of seconds) in W 434 speciation that would occur in oxidizing conditions.

This study opens new possibilities for monitoring the oxidation-reduction processes at 435 mineral-water interfaces that control the W biogeochemical cycle via electron transfer 436 437 reactions. In safer by design- or risk assessment-perspectives, understanding the molecular 438 scale process of biogeochemical redox reactions involving W is critical in predicting its fate, mobility, bioavailability, and toxicity in the environment. In the near future, such experimental 439 device could be tuned to tackle the role of organic matter in this process and especially in 440 441 microbial-mediated transformations. This will be even more important in the context of climate 442 change, during which hotspots for redox reactions are likely to become increasingly active.

443 ASSOCIATED CONTENT

- 444 **Supporting Information**. X-ray Diffractogram and electron microscopy images of the nanoW,
- 445 microfluidic cell setup on the FAME-UHD beamline, HERFD-XANES spectra of control
- 446 nanoW suspension are provided in Supporting Information.

447 AUTHOR INFORMATION

448 Corresponding Author

449 Melanie AUFFAN: auffan@cerege.fr

450 AUTHOR CONTRIBUTIONS

451 The manuscript was written through contributions of all authors. All authors have given452 approval to the final version of the manuscript.

453 ACKNOWLEDGEMENTS

We thank Mickaël Payet from the CEA for providing the metallic tungsten nanoparticles. This 454 work is a contribution to the OSU-Institut Pythéas. The FAME-UHD project is financially 455 supported by the French "grand emprunt" EquipEx (EcoX, ANR-10-EQPX-27-01), the CEA-456 457 CNRS CRG consortium and the INSU CNRS institute. FAME and FAME-UHD are members of the REGEF French Research Infrastructure. Finally, the authors acknowledge the CNRS 458 funding for the IRP iNOVE. 459 460 461 462 463 464 **REFERENCES** 465 Wu, C.-M.; Naseem, S.; Chou, M.-H.; Wang, J.-H.; Jian, Y.-Q. Recent Advances in 466 (1)

- 467 Tungsten-Oxide-Based Materials and Their Applications. Front. Mater. 2019, 6, 49. https://doi.org/10.3389/fmats.2019.00049. 468 Dong, X.; Lu, Y.; Liu, X.; Zhang, L.; Tong, Y. Nanostructured Tungsten Oxide as (2) 469 470 Photochromic Material for Smart Devices, Energy Conversion, and Environmental Remediation. Journal of Photochemistry and Photobiology C: Photochemistry Reviews 2022, 471 53, 100555. https://doi.org/10.1016/j.jphotochemrev.2022.100555. 472 473 (3) Deb, S. K. Opportunities and Challenges in Science and Technology of WO3 for 474 Electrochromic and Related Applications. Solar Energy Materials and Solar Cells 2008, 92 (2), 245–258. https://doi.org/10.1016/j.solmat.2007.01.026. 475 476 Shinde, P. A.; Jun, S. C. Review on Recent Progress in the Development of Tungsten (4) 477 Oxide Based Electrodes for Electrochemical Energy Storage. ChemSusChem 2020, 13 (1), 478 11-38. https://doi.org/10.1002/cssc.201902071. 479 (5) Koutsospyros, A. D.; Koutsospyros, D. A.; Strigul, N.; Braida, W.; Christodoulatos, C. Tungsten: Environmental Pollution and Health Effects. In Encyclopedia of Environmental 480 Health; Elsevier, 2019; pp 161–169. https://doi.org/10.1016/B978-0-12-409548-9.11199-6. 481 482 Johnson, J. W.; Wu, C. L. The Anodic Dissolution of Tungsten. J. Electrochem. Soc. (6) 483 1971, 118 (12), 1909. https://doi.org/10.1149/1.2407865. Lillard, R. S.; Kanner, G. S.; Butt, D. P. The Nature of Oxide Films on Tungsten in 484 (7) Acidic and Alkaline Solutions. J. Electrochem. Soc. 1998, 145 (8), 2718-2725. 485 486 https://doi.org/10.1149/1.1838704. Anik, M.; Osseo-Asare, K. Effect of PH on the Anodic Behavior of Tungsten. J. 487 (8) Electrochem. Soc. 2002, 149 (6), B224. https://doi.org/10.1149/1.1471544. 488 489 (9) Peuster, M.; Kaese, V.; Wuensch, G.; von Schnakenburg, C.; Niemeyer, M.; Fink, C.; 490 Haferkamp, H.; Hausdorf, G. Composition Andin Vitro Biocompatibility of Corroding Tungsten Coils. J. Biomed. Mater. Res. 2003, 65B (1), 211-216. 491 492 https://doi.org/10.1002/jbm.b.10561. Patrick, E.; Orazem, M. E.; Sanchez, J. C.; Nishida, T. Corrosion of Tungsten 493 (10)Microelectrodes Used in Neural Recording Applications. Journal of Neuroscience Methods 494 495 2011, 198 (2), 158–171. https://doi.org/10.1016/j.jneumeth.2011.03.012. (11)Sanles Sobrido, M.; Bernard, E.; Angeletti, B.; Malard, V.; George, I.; Chaurand, P.; 496 497 Uboldi, C.; Orsière, T.; Dine, S.; Vrel, D.; Rousseau, B.; Dinescu, G.; Soulas, R.; Herlin, N.; 498 Proux, O.; Grisolia, C.; Rose, J. Oxidative Transformation of Tungsten (W) Nanoparticles 499 Potentially Released in Aqueous and Biological Media in Case of Tokamak (Nuclear Fusion) Lost of Vacuum Accident (LOVA). Comptes Rendus. Géoscience 2021, 352 (8), 539-558. 500 501 https://doi.org/10.5802/crgeos.41. 502 (12)Bostick, B. C.; Sun, J.; Landis, J. D.; Clausen, J. L. Tungsten Speciation and 503 Solubility in Munitions-Impacted Soils. Environ. Sci. Technol. 2018, 52 (3), 1045–1053. 504 https://doi.org/10.1021/acs.est.7b05406. 505 (13)VanderSchee, C. R.; Kuter, D.; Bolt, A. M.; Lo, F.-C.; Feng, R.; Thieme, J.; Chen-Wiegart, Y. K.; Williams, G.; Mann, K. K.; Bohle, D. S. Accumulation of Persistent 506 Tungsten in Bone as in Situ Generated Polytungstate. Commun Chem 2018, 1 (1), 8. 507
- 508 https://doi.org/10.1038/s42004-017-0007-6.
- 509 (14) Pudza, I.; Kalinko, A.; Cintins, A.; Kuzmin, A. Study of the Thermochromic Phase
- 510 Transition in CuMo $_{1-X}W_xO_4$ Solid Solutions at the W L $_3$ -Edge by
- 511 Resonant X-Ray Emission Spectroscopy. *Acta Materialia* 2021, 205, 116581.
- 512 https://doi.org/10.1016/j.actamat.2020.116581.
- 513 (15) Howell, J. G.; Li, Y.-P.; Bell, A. T. Propene Metathesis over Supported Tungsten
- 514 Oxide Catalysts: A Study of Active Site Formation. *ACS Catal.* **2016**, *6* (11), 7728–7738.
- 515 https://doi.org/10.1021/acscatal.6b01842.
- 516 (16) Yamazoe, S.; Hitomi, Y.; Shishido, T.; Tanaka, T. XAFS Study of Tungsten L₁ and

- 517 L₃-Edges: Structural Analysis of WO₃ Species Loaded on TiO₂ as a Catalyst for Photo-
- 518 Oxidation of NH 3. J. Phys. Chem. C 2008, 112 (17), 6869–6879.
- 519 https://doi.org/10.1021/jp711250f.
- 520 (17) Proux, O.; Irar, M.; Thomas, S.; Aguilar-Tapia, A.; Bazarkina, E. F.; Prat, A.; Auffan,
- 521 M.; Rose, J.; Hazemann, J.-L. High Energy Resolution Fluorescence Detected X-Ray
- 522 Absorption Spectroscopy : A New Powerful Structural Tool in Environmental
- 523 Biogeochemistry Sciences Supplementary Information. 2017.
- 524 (18) Hazemann, J.-L.; Proux, O.; Nassif, V.; Palancher, H.; Lahera, E.; Da Silva, C.;
- 525 Braillard, A.; Testemale, D.; Diot, M.-A.; Alliot, I.; Del Net, W.; Manceau, A.; Gélébart, F.;
- 526 Morand, M.; Dermigny, Q.; Shukla, A. High-Resolution Spectroscopy on an X-Ray
- 527 Absorption Beamline. *J Synchrotron Rad* **2009**, *16* (2), 283–292.
- 528 https://doi.org/10.1107/S0909049508043768.
- 529 (19) Swarbrick, J. C.; Skyllberg, U.; Karlsson, T.; Glatzel, P. High Energy Resolution X-
- 530 Ray Absorption Spectroscopy of Environmentally Relevant Lead(II) Compounds. *Inorg.*
- 531 *Chem.* **2009**, *48* (22), 10748–10756. https://doi.org/10.1021/ic9015299.
- 532 (20) Abe, H.; Aquilanti, G.; Boada, R.; Bunker, B.; Glatzel, P.; Nachtegaal, M.; Pascarelli,
- 533 S. Improving the Quality of XAFS Data. J Synchrotron Rad 2018, 25 (4), 972–980.
- 534 https://doi.org/10.1107/S1600577518006021.
- 535 (21) Pascarelli, S.; Mathon, O.; Muñoz, M.; Mairs, T.; Susini, J. Energy-Dispersive
- Absorption Spectroscopy for Hard-X-Ray Micro-XAS Applications. J Synchrotron Rad
- **2006**, *13* (5), 351–358. https://doi.org/10.1107/S0909049506026938.
- 538 (22) Mathon, O.; Beteva, A.; Borrel, J.; Bugnazet, D.; Gatla, S.; Hino, R.; Kantor, I.;
- 539 Mairs, T.; Munoz, M.; Pasternak, S.; Perrin, F.; Pascarelli, S. The Time-Resolved and
- 540 Extreme Conditions XAS (TEXAS) Facility at the European Synchrotron Radiation Facility:
- 541 The General-Purpose EXAFS Bending-Magnet Beamline BM23. *J Synchrotron Rad* 2015, 22
- 542 (6), 1548–1554. https://doi.org/10.1107/S1600577515017786.
- 543 (23) Avaro, J.; Moon, E. M.; Rose, J.; Rose, A. L. Calcium Coordination Environment in
- Precursor Species to Calcium Carbonate Mineral Formation. *Geochimica et Cosmochimica Acta* 2019, 259, 344–357. https://doi.org/10.1016/j.gca.2019.05.041.
- 546 (24) Probst, J.; Borca, C. N.; Newton, M. A.; van Bokhoven, J.; Huthwelker, T.; Stavrakis,
- 547 S.; deMello, A. In Situ X-Ray Absorption Spectroscopy and Droplet-Based Microfluidics: An
- 548 Analysis of Calcium Carbonate Precipitation. ACS Meas. Sci. Au 2021, 1 (1), 27–34.
- 549 https://doi.org/10.1021/acsmeasuresciau.1c00005.
- 550 (25) Wielinski, J.; Jimenez-Martinez, J.; Göttlicher, J.; Steininger, R.; Mangold, S.; Hug,
- 551 S. J.; Berg, M.; Voegelin, A. Spatiotemporal Mineral Phase Evolution and Arsenic Retention
- 552 in Microfluidic Models of Zerovalent Iron-Based Water Treatment. Environ. Sci. Technol.
- **2022**, *56* (19), 13696–13708. https://doi.org/10.1021/acs.est.2c02189.
- 554 (26) Yew, M.; Ren, Y.; Koh, K. S.; Sun, C.; Snape, C. A Review of State-of-the-Art
- 555 Microfluidic Technologies for Environmental Applications: Detection and Remediation.
- 556 *Global Challenges* **2019**, *3* (1), 1800060. https://doi.org/10.1002/gch2.201800060.
- 557 (27) El-Kharbachi, A.; Chêne, J.; Garcia-Argote, S.; Marchetti, L.; Martin, F.; Miserque,
- 558 F.; Vrel, D.; Redolfi, M.; Malard, V.; Grisolia, C.; Rousseau, B. Tritium
- Absorption/Desorption in ITER-like Tungsten Particles. *International Journal of Hydrogen Energy* 2014, *39* (20), 10525–10536. https://doi.org/10.1016/j.ijhydene.2014.05.023.
- 561 (28) Dine, S.; Aïd, S.; Ouaras, K.; Malard, V.; Odorico, M.; Herlin-Boime, N.; Habert, A.;
- 562 Gerbil-Margueron, A.; Grisolia, C.; Chêne, J.; Pieters, G.; Rousseau, B.; Vrel, D. Synthesis
- of Tungsten Nanopowders: Comparison of Milling, SHS, MASHS and Milling-Induced
- 564 Chemical Processes. Advanced Powder Technology 2015, 26 (5), 1300–1305.
- 565 https://doi.org/10.1016/j.apt.2015.07.004.
- 566 (29) Dollimore, D.; Spooner, P.; Turner, A. The Bet Method of Analysis of Gas

- Adsorption Data and Its Relevance to the Calculation of Surface Areas. Surface Technology
- **1976**, *4* (2), 121–160. https://doi.org/10.1016/0376-4583(76)90024-8.
- 569 (30) Proux, O.; Nassif, V.; Prat, A.; Ulrich, O.; Lahera, E.; Biquard, X.; Menthonnex, J.-J.;
 570 Hazemann, J.-L. Feedback System of a Liquid-Nitrogen-Cooled Double-Crystal
- 571 Monochromator: Design and Performances. J Synchrotron Rad **2006**, 13 (1), 59–68.
- 572 https://doi.org/10.1107/S0909049505037441.
- 573 (31) Nehzati, S.; Dolgova, N. V.; James, A. K.; Cotelesage, J. J. H.; Sokaras, D.; Kroll, T.;
- 574 George, G. N.; Pickering, I. J. High Energy Resolution Fluorescence Detected X-Ray
- Absorption Spectroscopy: An Analytical Method for Selenium Speciation. *Anal. Chem.* 2021,
 93 (26), 9235–9243. https://doi.org/10.1021/acs.analchem.1c01503.
- 577 (32) Ravel, B.; Newville, M. ATHENA, ARTEMIS, HEPHAESTUS: Data Analysis for X-
- 578 Ray Absorption Spectroscopy Using *IFEFFIT*. J Synchrotron Rad **2005**, 12 (4), 537–541.
- 579 https://doi.org/10.1107/S0909049505012719.
- 580 (33) Saurette, E. M.; Frinfrock, Y. Z.; Verbuyst, B.; Blowes, D. W.; McBeth, J. M.;
- 581 Ptacek, C. J. Improved Precision in As Speciation Analysis with HERFD-XANES at the As
- 582 *K*-Edge: The Case of As Speciation in Mine Waste. *J Synchrotron Rad* 2022, 29 (5), 1198–
- 583 1208. https://doi.org/10.1107/S1600577522007068.
- 584 (34) Kirpichtchikova, T. A.; Manceau, A.; Spadini, L.; Panfili, F.; Marcus, M. A.; Jacquet,
- 585 T. Speciation and Solubility of Heavy Metals in Contaminated Soil Using X-Ray
- 586 Microfluorescence, EXAFS Spectroscopy, Chemical Extraction, and Thermodynamic
- 587 Modeling. *Geochimica et Cosmochimica Acta* **2006**, *70* (9), 2163–2190.
- 588 https://doi.org/10.1016/j.gca.2006.02.006.
- 589 (35) *Test No. 111: Hydrolysis as a Function of PH*; OECD Publishing, 2004.
- 590 (36) Marle, L.; Greenway, G. M. Microfluidic Devices for Environmental Monitoring.
- 591 *TrAC Trends in Analytical Chemistry* **2005**, *24* (9), 795–802.
- 592 https://doi.org/10.1016/j.trac.2005.08.003.
- 593 (37) Hämäläinen, K.; Siddons, D. P.; Hastings, J. B.; Berman, L. E. Elimination of the
- 594 Inner-Shell Lifetime Broadening in x-Ray-Absorption Spectroscopy. *Phys. Rev. Lett.* **1991**,
- 595 67 (20), 2850–2853. https://doi.org/10.1103/PhysRevLett.67.2850.
- (38) Campbell, J. L.; Papp, T. WIDTHS OF THE ATOMIC K–N7 LEVELS. *Atomic Data and Nuclear Data Tables* 2001, 77 (1), 1–56. https://doi.org/10.1006/adnd.2000.0848.
- 598 (39) George, I.; Uboldi, C.; Bernard, E.; Sobrido, M.; Dine, S.; Hagège, A.; Vrel, D.;
- Herlin, N.; Rose, J.; Orsière, T.; Grisolia, C.; Rousseau, B.; Malard, V. Toxicological
- Assessment of ITER-Like Tungsten Nanoparticles Using an In Vitro 3D Human Airway
- 601 Epithelium Model. *Nanomaterials* **2019**, *9* (10), 1374. https://doi.org/10.3390/nano9101374.
- 602 (40) Uboldi, C.; Sanles Sobrido, M.; Bernard, E.; Tassistro, V.; Herlin-Boime, N.; Vrel,
- 603 D.; Garcia-Argote, S.; Roche, S.; Magdinier, F.; Dinescu, G.; Malard, V.; Lebaron-Jacobs,
- L.; Rose, J.; Rousseau, B.; Delaporte, P.; Grisolia, C.; Orsière, T. In Vitro Analysis of the
- 605 Effects of ITER-Like Tungsten Nanoparticles: Cytotoxicity and Epigenotoxicity in BEAS-2B
- 606 Cells. *Nanomaterials* **2019**, *9* (9), 1233. https://doi.org/10.3390/nano9091233.
- 607 (41) Nave, M. I.; Kornev, K. G. Complexity of Products of Tungsten Corrosion:
- 608 Comparison of the 3D Pourbaix Diagrams with the Experimental Data. *Metall Mater Trans A*
- 609 **2017**, 48 (3), 1414–1424. https://doi.org/10.1007/s11661-016-3888-6.
- 610 (42) Kelsey, G. S. The Anodic Oxidation of Tungsten in Aqueous Base. J. Electrochem.
- 611 Soc. 1977, 124 (6), 814–819. https://doi.org/10.1149/1.2133418.
- 612 (43) Anik, M.; Cansizoglu, T. Dissolution Kinetics of WO3 in Acidic Solutions. *J Appl*
- 613 *Electrochem* **2006**, *36* (5), 603–608. https://doi.org/10.1007/s10800-006-9113-3.
- 614 (44) O'Day, P. A.; Rivera, N.; Root, R.; Carroll, S. A. X-Ray Absorption Spectroscopic
- 615 Study of Fe Reference Compounds for the Analysis of Natural Sediments. *American*
- 616 *Mineralogist* **2004**, *89* (4), 572–585. https://doi.org/10.2138/am-2004-0412.