



HAL
open science

Editorial: thematic issue on microbial ecotoxicology

Stéphane Vuilleumier, Lise Barthelmebs, Natàlia Corcoll, Marina Hery,
Dimitrios G Karpouzas, Lukas Y Wick

► To cite this version:

Stéphane Vuilleumier, Lise Barthelmebs, Natàlia Corcoll, Marina Hery, Dimitrios G Karpouzas, et al.. Editorial: thematic issue on microbial ecotoxicology. *FEMS Microbiology Ecology*, 2024, 100 (8), 10.1093/femsec/fiae097 . hal-04682463

HAL Id: hal-04682463

<https://cnrs.hal.science/hal-04682463v1>

Submitted on 30 Aug 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Editorial: thematic issue on microbial ecotoxicology

Imagine you are a microbe and you are exposed to chemical contamination. Will you be at risk? How will you react, and by which means? Just die? Express some form of adaptation using specific resistance mechanisms? Reduce toxicity of chemicals by degrading them, or by negative tactic movement? Tolerate their presence thanks to emergent properties of your surrounding microbial community? Express some other form of resilience and wait for better times, to return to a functional state after a more or less long period, depending on the intensity and toxicity of the contamination?

Alongside these questions that microbial ecotoxicologists are eager to answer, the question “Why do we need to preserve and monitor the integrity of environmental microbes and the communities they form?” has been at the core of the emerging multi-disciplinary field of microbial ecotoxicology. Over the last decade, microbial ecotoxicologists have organized through the international EcotoxicoMic network (<https://ecotoxicomic.org>), which now counts 282 members from 46 countries. With three international conferences in 2017 (Lyon, France), 2020 (online due to the COVID pandemic), and 2022 (Montpellier, France), the network has addressed the interactions, effects, and risks of chemical exposure on microbial and environmental systems and generated new research perspectives. A forthcoming fourth international EcotoxicoMic conference will take place in Gothenburg (Sweden) on 12–14 November 2024 (<https://ecotoxicomic.org/ecotoxicomic-2024>).

Microorganisms have now become appreciated as keystone contributors in numerous ecosystemic processes (Cavicchioli et al. 2019), including but not limited to (i) cycling of carbon, nitrogen, phosphorus, iron, and sulfur; (ii) biological control of pathogens; (iii) attenuation of chemical pollution; (iv) production and consumption of greenhouse gases; (v) contribution to soil structure; and (vi) biomass nutrients for higher trophic levels. Microbial communities also constitute the richest genetic pool, which can be harnessed by biotechnology. All this very much speaks in favor of the fundamental role that microbial ecotoxicology can play in ecosystem preservation and functioning today.

Indeed, the high diversity, genetic plasticity, adaptability, and responses of microbes to chemical pollution provides a unique opportunity to discover and quantify chemical effects and associated risks to microbial communities and their crucial ecosystem functions, and to explore the responses of the microbial world, their impact on contaminant eco-dynamics, and associated risks to ecosystems and human health (Fig. 1). Thanks to the experimental approaches and technologies available today, current research ranges from laboratory studies of the detailed mechanisms of microbial gene expression linked to exposure to contaminants and their toxic effects in model organisms, to integrative studies of the complex responses of environmental microbial communities at field scales.

Given the high complexity of the investigated interactions, increasingly in-depth and integrative exploration of microbial re-

Microbial responses and risk assessment




Figure 1. The microbial ecotoxicology tetrahedron for risk assessment of chemical pollution. Risks associated with chemical contamination can be assessed based on the complex interplay of exposure of microorganisms and microbial communities to chemicals, contaminant bioavailability and toxicity, contaminant fate including the role of microbial transformation, and environmental conditions.

sponses is now clearly warranted and will contribute to the further development of the field of microbial ecotoxicology. The present thematic issue of *FEMS Microbiology Ecology* brings together a selection of three review articles and 12 original research papers representative of the research questions and experimental approaches that microbial ecologists develop in the broad field of microbial ecotoxicology today, as presented in part at the EcotoxicoMic 2022 Conference. The review articles provide a general overview of the field of the microbial ecotoxicology and its perspectives for development today (Hellal et al. 2023), as well as two more thematically focused contributions on the specific topics of microbial ecology-driven sustainable agriculture (Vermeire et al. 2024) and microbial treatment of wastewater from an industrial process (Reis et al. 2023). Several of the experimental papers deal with microbial transformation of contaminants, both organic (Bertrans-Tubau et al. 2023, Laffet et al. 2023, Paris et al. 2023, Vogel et al. 2024) and inorganic (Diaz-Vanegas et al. 2023, Glodowska et al. 2023, Laroche et al. 2023). One publication makes use of laboratory microcosms to investigate community-level resilience (eco-restoration) following chemical treatment to eliminate species-specific algal blooms (Cai et al. 2022). Another series of papers illustrates the diverse ways by which the response of microbial strains and communities to chemicals can be used for bioindication (Narciso et al. 2023), as well as for toxicological risk assessment for individual species (Helander et al. 2023) and higher-level biomes, e.g. microbial–plant interactions (Gkimprizi et al. 2023, Gréau et al. 2023).

Received 3 July 2024; accepted 4 July 2024

© The Author(s) 2024. Published by Oxford University Press on behalf of FEMS. This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial License (<https://creativecommons.org/licenses/by-nc/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited. For commercial re-use, please contact journals.permissions@oup.com

Overall, this collection of articles provides a timely snapshot of current research in this dynamic and expanding field, and an exciting foretaste of the upcoming fourth Ecotoxicology Network International Conference in Gothenburg in November 2024.

Author contributions

Stéphane Vuilleumier (Conceptualization, Writing – original draft, Writing – review & editing), Lise Barthelmebs (Conceptualization, Writing – original draft, Writing – review & editing), Natàlia Corcoll (Conceptualization, Writing – original draft, Writing – review & editing), Marina Hery (Conceptualization, Writing – original draft, Writing – review & editing), Dimitrios G. Karpouzas (Conceptualization, Writing – original draft, Writing – review & editing) and Lukas Y. Wick (Conceptualization, Writing – original draft, Writing – review & editing)

Conflict of interest: None declared.

References

- Bertrans-Tubau L, Menard Y, Batisson I et al. Dissipation of pesticides by stream biofilms is influenced by hydrological histories. *FEMS Microbiol Ecol* 2023;**99**:fiad083. <https://doi.org/10.1093/femsec/fiad083>.
- Cai GJ, Yu XQ, Cai RL et al. Eliminating the ecological hazards of *Heterosigma akashiwo* bloom by a microbial algicide: removal of nitrite contamination, redirection of carbon flow and restoration of metabolic generalists. *FEMS Microbiol Ecol* 2022;**99**:fiac154. <https://doi.org/10.1093/femsec/fiac154>.
- Cavicchioli R, Ripple WJ, Timmis KN et al. Scientists' warning to humanity: microorganisms and climate change. *Nature Rev Microbiol* 2019;**17**:569–86. <https://doi.org/10.1038/s41579-019-0222-5>.
- Diaz-Vanegas C, Héry M, Desoeuvre A et al. Towards an understanding of the factors controlling bacterial diversity and activity in semi-passive Fe- and As-oxidizing bioreactors treating arsenic-rich acid mine drainage. *FEMS Microbiol Ecol* 2023;**99**:fiad089. <https://doi.org/10.1093/femsec/fiad089>.
- Gkimprizi E, Lagos S, Nikolaou CN et al. Veterinary drug albendazole inhibits root colonization and symbiotic function of the arbuscular mycorrhizal fungus *Rhizophagus irregularis*. *FEMS Microbiol Ecol* 2023;**99**:fiad048. <https://doi.org/10.1093/femsec/fiad048>.
- Glodowska M, Ma YX, Smith G et al. Nitrate leaching and its implication for Fe and As mobility in a Southeast Asian aquifer. *FEMS Microbiol Ecol* 2023;**99**:fiad025. <https://doi.org/10.1093/femsec/fiad025>.
- Gréau L, Blaudez D, Le Cordier H et al. Taxonomic and functional responses of soil and root bacterial communities associated with poplar exposed to a contamination gradient of phenanthrene. *FEMS Microbiol Ecol* 2023;**99**:fiad052. <https://doi.org/10.1093/femsec/fiad052>.
- Helander M, Jeevannavar A, Kaakinen K et al. Glyphosate and a glyphosate-based herbicide affect bumblebee gut microbiota. *FEMS Microbiol Ecol* 2023;**99**:fiad065. <https://doi.org/10.1093/femsec/fiad065>.
- Hellal J, Barthelmebs L, Bérard A et al. Unlocking secrets of microbial ecotoxicology: recent achievements and future challenges. *FEMS Microbiol Ecol* 2023;**99**:fiad102. <https://doi.org/10.1093/femsec/fiad102>.
- Laffet L, Joly M, Carles L et al. Comparison of microbial colonization between natural and plastic substrata in a polluted watershed. *FEMS Microbiol Ecol* 2023;**99**:fiad062. <https://doi.org/10.1093/femsec/fiad062>.
- Laroche E, Joulian C, Duee C et al. Bio-precipitation of arsenic and antimony in a sulfate-reducing bioreactor treating real acid mine drainage water. *FEMS Microbiol Ecol* 2023;**99**:fiad075. <https://doi.org/10.1093/femsec/fiad075>.
- Narciso A, Caracciolo AB, Grenni P et al. Application of the *Allivibrio fischeri* bacterium bioassay for assessing single and mixture effects of antibiotics and copper. *FEMS Microbiol Ecol* 2023;**99**:fiad125. <https://doi.org/10.1093/femsec/fiad125>.
- Paris L, Devers-Lamrani M, Joly M et al. Effect of subtherapeutic and therapeutic sulfamethazine concentrations on transcribed genes and translated proteins involved in *Microbacterium* sp. C448 resistance and degradation. *FEMS Microbiol Ecol* 2023;**99**:fiad064. <https://doi.org/10.1093/femsec/fiad064>.
- Reis PCJ, Correa-Garcia S, Tremblay J et al. Microbial degradation of naphthenic acids using constructed wetland treatment systems: metabolic and genomic insights for improved bioremediation of process-affected water. *FEMS Microbiol Ecol* 2023;**99**:fiad153. <https://doi.org/10.1093/femsec/fiad153>.
- Vermeire ML, Thiour-Mauprivez C, De Clerck C. Agroecological transition: towards a better understanding of the impact of ecology-based farming practices on soil microbial ecotoxicology. *FEMS Microbiol Ecol* 2024;**100**:fiac031. <https://doi.org/10.1093/femsec/fiac031>.
- Vogel AL, Thompson KJ, Straub D et al. Genetic redundancy in the naphthalene-degradation pathway of *Cycloclasticus pugetii* strain PS-1 enables response to varying substrate concentrations. *FEMS Microbiol Ecol* 2024;**100**:fiac060. <https://doi.org/10.1093/femsec/fiac060>.

Stéphane Vuilleumier 

Génétique Moléculaire, Génomique, Microbiologie, CNRS UMR 7156, Université de Strasbourg, 4 rue Blaise Pascal, 67081 Strasbourg cedex, France.

Lise Barthelmebs 

Laboratoire de Biodiversité et Biotechnologies Microbiennes, USR 3579 Sorbonne Universités Paris 6, Université de Perpignan Via Domitia, Bat. S, 52 avenue Paul Alduy, 66860 Perpignan cedex, France
CNRS Observatoire Océanologique, 66650 Banyuls-sur-Mer, France

Natàlia Corcoll 

Department of Biological and Environmental Sciences, University of Gothenburg, Medicinaregatan 7B, 405 30 Gothenburg, Sweden

Marina Hery 

HydroSciences Montpellier, Université de Montpellier, CNRS, IRD, Faculté des Sciences Pharmaceutiques et Biologiques, 15, avenue Charles Flahaut, 34093 Montpellier cedex 05, France

Dimitrios G. Karpouzas 

Department of Biochemistry and Biotechnology, Laboratory of Plant and Environmental Biotechnology, University of Thessaly, Viopolis Campus, Larissa 41500, Greece

Lukas Y. Wick 

Department of Applied Microbial Ecology, Helmholtz Centre for Environmental Research UFZ, Permoserstr. 15, 04318 Leipzig, Germany

Received 3 July 2024; accepted 4 July 2024

© The Author(s) 2024. Published by Oxford University Press on behalf of FEMS. This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial License (<https://creativecommons.org/licenses/by-nc/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited. For commercial re-use, please contact journals.permissions@oup.com