



**HAL**  
open science

## **A collective statement in support of saving pangolins**

Siew Woh Choo, Ju Lian Chong, Philippe Gaubert, Alice Catherine Hughes, Stephen O'brien, Anne-Lise Chaber, Agostinho Antunes, Sara Platto, Nick Ching-Min Sun, Li Yu, et al.

► **To cite this version:**

Siew Woh Choo, Ju Lian Chong, Philippe Gaubert, Alice Catherine Hughes, Stephen O'brien, et al.. A collective statement in support of saving pangolins. Science of the Total Environment, 2022, 824, pp.153666. 10.1016/j.scitotenv.2022.153666 . hal-04718401

**HAL Id: hal-04718401**

**<https://cnrs.hal.science/hal-04718401v1>**

Submitted on 2 Oct 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License



## Letter to the Editor

## A collective statement in support of saving pangolins

### Keywords:

Pangolin  
Conservation  
Ecology  
Captive breeding  
Immunology


We are an international group of biological scientists, conservationists, and environmentalists who have been closely following the plight and conservation of pangolins over a number of years. Pangolins comprise the mammalian Order Pholidota, which contains eight living species found in diverse habitats in Africa (4 species) and Asia (4 species), which provide important ecosystem services, including providing “pest” control and improving soil quality (Chao et al., 2020). They remain the most threatened and trafficked mammal species in the world (Gaubert et al., 2018; Sarah Heinrich et al., 2016). For over a century, there have been numerous attempts to rescue and maintain these animals in captivity, but with very few examples of success, chiefly because they usually die of infection (Hua et al., 2015; Lihua et al., 2010). In 2016, the genomes of the *Critically Endangered* Chinese and Malayan pangolins (Fig. 1) were sequenced and revealed two important findings (Choo et al., 2016). First, to the best of our knowledge, pangolins are the only mammals known to lack the *IFNE* (Interferon epsilon) gene (important for mucosal immunity), suggesting that their resistance to pathogens may be reduced. Moreover, we found that pangolins have a reduced number of the heat shock protein (HSP) gene family members, suggesting stress susceptibility inducing immunosuppression, more so than other mammalian lineages. These findings may help explain why captive pangolins frequently succumb to infection.

Leveraging upon the genome-driven biological insights, researchers have successfully established a captive Malayan pangolin population up to the third filial generation, by keeping the environment, food and water as hygienic as possible (Yan et al., 2021) under proper husbandry conditions. These pangolins may serve as genetic stocks for re-establishing dwindling natural populations and bolstering populations of wild pangolins, and helping to maintain genetic diversity. Notably, successful reintroduction of captive breeding populations have prevented the extinction of many species including the Arabian Oryx (*Oryx leucoryx*) (Ostrowski et al., 1998), the Yellow-shouldered Amazon Parrots (*Amazona barbadensis*) (Sanz and Grajal, 1998), the European bison (*Bison bonasus*) (Schmitz et al., 2015), the Alpine ibex (*Capra ibex ibex*) (Stüwe and Nievergelt, 1991), and the Bearded vulture (*Gypaetus barbatus*) (Hirzel et al., 2004).

However, without cooperation from all key stakeholders (including governments, researchers, and the public), successful protection of pangolins could still be far away (Heighton and Gaubert, 2021). New techniques must be developed and utilized to ensure pangolin populations are protected. Furthermore, significant efforts are needed to reduce demand

globally, since the slow reproductive rate of pangolins mean that demand will always outstrip sustainable supply if trade continues. Accordingly, we are signing (Appendix 1) and writing this Letter to voice the following suggestions and concerns:

- 1) There are an insufficient number of rescue centres that can provide adequate care for confiscated pangolins, which is a challenge to their protection. Furthermore, there is a lack of standardized guidelines for maintaining pangolins in captivity besides the fact that many veterinarians may not be trained to treat these unique animals. These undoubtedly contributed to the challenges of many institutions and zoos to maintain them in captivity. As such, capacity building in terms of manpower and expertise is definitely crucial to ensure the proper treatment and maintenance of pangolins in captivity, and hopefully the successful reintroduction into the wild. In addition, collaboration on knowledge exchange and developing standardized operating procedures to reduce unnecessary mortality should be a priority. To facilitate the management of pangolins, we recommend maintaining pangolins in specific pathogen-free (SPF) houses, similar to how we usually treat other immunocompromised animals in order to minimize the risk of infections.
- 2) With time running out for these highly endangered species, it is time to act promptly by reviewing respective laws and policies that encumber conservation of pangolins. For example, living non-native pangolins rescued from smugglers cannot be released into the wild due to legal restrictions, and they often end up dying in captivity due to improper care. Additionally, once a case is successfully filed, pangolins can be released immediately without adequate care, or whilst in too poor condition to be able to survive. Thus, the relevant authorities worldwide must work together to address these issues immediately, and to facilitate the responsible release of such animals back into their natural habitats following rehabilitation. In addition to adequate care following a seizure, for non-native species, repatriation of endangered species is essential to the long-term survival of these species. In addition, Chinese scientists have techniques to breed and maintain captive pangolins, but face challenges to obtain Chinese pangolins for breeding and re-establishing wild populations in China, while other countries have Chinese pangolins, but lack the required techniques and expertise. Clearly, this shows that international cooperation is essential for saving and re-establishing wild pangolin populations, and ensure all captive pangolins receive appropriate care. Furthermore, it is also important to investigate the genetic structure of populations (may be subpopulations) of each species of pangolin for the re-introduction of individuals to avoid any non-natural hybridization of potential subspecies. In addition, any released animals should be healthy, and free from pathogens or parasites which could infect wild individuals as well as reducing survival probability. Considering that the illegal pangolin supply chain is multi-national, involving all relevant authorities to target the entire supply-chain will result in more effective and longer lasting prosecution and protection of pangolins. To accelerate research



**Fig. 1.** Pangolin species distribution map. (Top) A Malayan pangolin (*Manis javanica*). Photo: Ju Lian Chong. (Bottom) Geographical distribution of eight extant pangolin species. Image courtesy of the IUCN/SSC Pangolin Specialist Group (Photo copyrights: White-bellied Pangolin - Tim Wacher/ZSL; Giant Pangolin - Tanzania Carnivore Program; Black-bellied Pangolin - Rod Cassidy; Ground Pangolin - Darren Pieterse; Chinese Pangolin - Sarita Jnawali; Philippine Pangolin - Katala Foundation, Inc.; Sunda Pangolin - Dan Challender; Indian Pangolin - Zeeshan Merchant).

and attract more experts to work on pangolin conservation, a green channel for fast-track regulatory approval should be provided. More funding should be developed to support the conservation efforts and to upgrade the facilities at rescue centres run by NGOs, and ensure that training

and resources are available in both range states, and regions where confiscations are recorded to have occurred. Additionally, efforts must be conducted to strengthen law enforcement and the protection of pangolin natural habitats.

The COVID-19 pandemic has had a substantial negative impact on pangolins, following two major announcements which were widely reported in the global media. Early in the pandemic, pangolins were misreported as the animal source of SARS-CoV2 as a coronavirus found in a pangolin had a 99% genome similarity with human SARS-CoV2 (Cyranski, 2020; Kangpeng Xiao et al., 2020; Tommy Tsan-Yuk Lam et al., 2020; Department of Forestry of Guangxi Zhuang Autonomous Region, 2020; Hu et al., 2015). However, pangolins should not be considered the principal reservoir species for coronavirus in the absence of firm evidence, and their rarity combined with how pangolins are typically consumed make it highly improbable they played any role in disease transmission in the case of SARS-CoV2. Additionally, all the pangolins sampled in these studies were obtained during enforcement against the illegal wildlife trade, where they could have been infected by coronaviruses from other animals/reservoirs during transport, handling, or close contact with host species (including a range of carnivore species). Many subsequent studies have highlighted the improbability that pangolins were the intermediate host of SARS-CoV-2 (Siew Woh Choo et al., 2020; Boni et al., 2020; Lee et al., 2020). Despite this development a negative perception of the animals likely persists, whereas normal biosafety procedures would offset any genuine risks from handling the species. Any animal species on this planet can transmit viruses and we should not use any particular species or group of species as a scapegoat. Misconceptions of risk greatly hinder effective conservation, and unless pangolins are directly manipulated there is very little risk of disease transmission, highlighting that pangolins should be conserved and not poached, and should not be transported with animals known to be frequent reservoirs of coronaviruses or other zoonoses. With the largest spike in public interest of pangolins following this scapegoating misinformation, it is crucial to address the public's misperceptions on pangolins by underlining the increased presence of campaigns that highlight the importance of pangolin conservation (Heighton and Gaubert, 2021).

3) With the trafficking rates of pangolins continuously increasing since the pandemic (Aditya et al., 2021), it is timely to invest in community education, research and conservation capacity-building of trade source countries in unison with professional retraining of local hunters, traffickers, and sellers to permanently stop the pangolin trade. Recent international attempts included the 2015 First Pangolin Range States meeting, the 2016 MENTOR-POP (Progress on Pangolins) Fellowship Program, and various pangolin public awareness programs across the world conducted by Non-Governmental Organizations (NGOs) such as IUCN SSC Pangolin Specialist Group, WildAid and Humane Society International (HSI) with the objective to raise the profile of pangolins in the public consciousness. The increasing development and application of forensic tools are critical to investigating seizures of pangolin scales, identifying trafficking networks, and eventually shutting these down (Mwale et al., 2017; Moorat et al., 2020; Ewart et al., 2021). The public should avoid consuming/using pangolins and any pangolin-derived products, and should be encouraged strongly to report to authorities immediately if they witness evidence of poaching and/or trading of these threatened animals. The development of specific apps or similar technologies could also facilitate rapid reporting (Xin and Ziao, 2019).

#### CRediT authorship contribution statement

S. W. C., J. L. C., P. G., A. C. H. draft the manuscript. The manuscript was revised, proofread, approved and signed by all authors.

#### Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

#### Appendix 1. We sign this statement in solidarity with all parties who want to protect pangolins. All authors have approved this statement and declare no conflict of interest

No.	Name	Affiliation	Job Title	Email
1	Siew Woh Choo	College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China & Zhejiang Bioinformatics International Science and Technology Cooperation Centre, Wenzhou-Kean University, Wenzhou, Zhejiang, P.R. China	Research Professor	cwoh@wku.edu.cn
2	Stephen O'Brien	Chief Scientific Officer Laboratory of Genomic Diversity Center for Computer Technologies ITMO University St. Petersburg 197101 Russia & Guy Harvey Oceanographic Center Halmos College of Arts and Sciences Nova Southeastern University 8000 North Ocean Drive Ft Lauderdale, Florida 33004, USA	Professor	lgdchief@gmail.com
3	Alice Catherine Hughes	China Biodiversity Conservation and Green Development Foundation (CBCGDF), Empark International Apartment, No. 69, Banding Road, Haidian District, Beijing, China	Deputy Secretary General CBCGDF & Group Leader Chinese Academy of Sciences	dr_achughes@hotmail.co.uk
4	Agostinho Antunes	CIIMAR/CIMAR, Interdisciplinary Centre of Marine and Environmental Research, University of Porto, Terminal de Cruzeiros do Porto de Leixões, Av. General Norton de Matos, s/n, 4450-208 Porto, Portugal & Department of Biology, Faculty of Sciences, University of Porto, Rua do Campo Alegre, 4169-007 Porto, Portugal	Professor	aantunes@ciimar.up.pt
5	Ju Lian Chong	Faculty of Science & Marine Environment, Universiti Malaysia Terengganu, 21030 Kuala Nerus, Terengganu, Malaysia	Associate Professor	julian@umt.edu.my
6	Sara Platto	Department of Biotechnology, College of Life Sciences, Jiangnan University, Wuhan, Hubei Province, P.R. China	Associate Professor	Stenella369@hotmail.com
7	Anne-Lise Chaber	School of Animal and Veterinary Science, Roseworthy campus, University of Adelaide, 5371 Roseworthy, South Australia	Senior Lecturer	anne-lise.chaber@adelaide.edu.au
8	Tulshi Laxmi Suwal	Small Mammal Conservation and Research Foundation, Balkhu Bandhudatta Marg, Kathmandu, Nepal	Co-founder	suwaltulshi@hotmail.com
9	Philippe Gaubert	Laboratoire Evolution et Diversité Biologique, IRD/CNRS/UPS, Université Paul Sabatier, Bât. 4R1, 118 route de Narbonne, 31062 Toulouse cedex 9, France	Staff Researcher, IRD	philippe.gaubert@univ-tlse3.fr
10	Li Yu	State Key Laboratory for Conservation and Utilization of Bio-Resources in Yunnan, School of Life Sciences, Yunnan University, Kunming, China	Professor	yuli@ynu.edu.cn
11	Hongxiang Zhu	Bosco Institute of Ecological Environment, Guangxi University, Nanning 530004, China	Professor	zhx@gxu.edu.cn

(continued on next page)

(continued)

No.	Name	Affiliation	Job Title	Email
12	Rofina Yasmin Othman	Centre for research in Biotechnology for Agriculture, University of Malaya 50603 Kuala Lumpur	Professor	yasmin@um.edu.my
13	Elisa Panjang	Danau Girang Field Centre, Sabah, Malaysia & School of Biosciences, Cardiff University, UK	Pangolin Conservation Officer, Ph.D Student	elisa_panjang@yahoo.com
14	Tariq Mahmood	Department of Wildlife Management, PMAS Arid Agricultural University Rawalpindi, Pakistan	Associate Professor	tariqanjua75@uair.edu.pk
15	Klaus-Peter Koepfli	Smithsonian-Mason School of Conservation, George Mason University, Front Royal, VA 22630, USA & Smithsonian Conservation Biology Institute, Center for Species Survival, National Zoological Park, Washington, D.C., 20008, USA & ITMO University, Computer Technologies Laboratory, St. Petersburg 197101, Russia	Senior Research Scientist	kkoepli@gmu.edu
16	Toby M. Michelena	College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China	Assistant Professor and Program Coordinator, Natural Science Programs	tobmiche@kean.edu
17	Siwei Deng	Botnar Research Centre, Nuffield Department of Orthopaedics, Rheumatology and Musculoskeletal Sciences, Old Road, University of Oxford, Headington, Oxford, OX3 7LD UK	PhD Student	siwei.deng@ndorms.ox.ac.uk
18	Leonard Lipovich	Department of Basic Sciences, College of Medicine, Mohammed Bin Rashid University of Medicine and Health Sciences, Box 505055, Building 14, Dubai Healthcare City, Dubai, United Arab Emirates	Professor	Leonard.Lipovich@mbru.ac.ae
19	Wei Yee Wee	School of Science, Monash University Malaysia, 47500, Bandar Sunway, Malaysia	Lecturer	wee.weiye@monash.edu
20	Xuechen Tian	Zhejiang Bioinformatics International Science and Technology Cooperation Centre, Wenzhou-Kean University, Wenzhou, Zhejiang, P.R. China & Wenzhou Municipal Key Laboratory for Applied Biomedical and Biopharmaceutical Informatics, Ouhai, Wenzhou, Zhejiang Province, 325060 China	Experimentalist	tianxuechen@wku.edu.cn
21	Tze King Tan	Cancer Science Institute of Singapore, National University of Singapore, 117599, Singapore	Senior Research Scientist	csittk@nus.edu.sg
22	Nicholas Jakubovics	School of Dental Sciences, Faculty of Medical Sciences, Framlington Place, Newcastle University, Newcastle-upon-Tyne, NE2 4BW, UK	Senior Lecturer	nick.jakubovics@ncl.ac.uk
23	Ming Chen	Department of Bioinformatics, College of Life Sciences, Zhejiang University, Hangzhou 310058, China	Professor	mchen@zju.edu.cn
24	Yixin Zhang	Research Center of Cultural Landscape Protection and Ecological Restoration, The Sino-Portugal Joint Laboratory of Cultural Heritage Conservation Science Supported by the Belt and Road Initiative, Soochow University, Suzhou, Jiangsu 215123, China	Professor	yixin.zhang2019@suda.edu.cn
25	Larry C. Brown	Wenzhou-Kean University College of Science and Technology Wenzhou, China	Associate Dean	larbrown@kean.edu
26	Bairong Shen	Institutes for Systems Genetics, Frontiers Science Center for Disease-Related Molecular Network, West China Hospital, Sichuan University, Xinchuan Road 2222, Chengdu, Sichuan, China	Professor	Bairong.Shen@scu.edu.cn
27	Guanghou Shui	State Key Laboratory of Molecular Developmental Biology, Institute of Genetics and Developmental Biology, Chinese Academy of Sciences, Beijing, 100101 China	Professor	ghshui@genetics.ac.cn
28	Christopher E. Mason	Department of Physiology and Biophysics, Weill Cornell Medicine, 1305 York Ave., New York, NY 10021, USA	Professor	chm2042@med.cornell.edu
29	Mia Yang Ang	Department of Clinical Genome Informatics, Graduate School of Medicine, The University of Tokyo, Tokyo 113-0033, Japan	PhD Student	angmiayang@gmail.com
30	Jayaraj Vijaya Kumaran	Faculty of Earth Science, Universiti Malaysia Kelantan, UMK Jeli Campus, Jeli, Kelantan, Malaysia	Senior Lecturer, Research Fellow	jayaraj@umk.edu.my
31	Rob White	Department of Physiology, Development and Neuroscience, University of Cambridge, Downing St, Cambridge, CB2 3DY UK	Professor	rw108@cam.ac.uk
32	Yunqi Zhao	College of Science and Technology, Wenzhou Kean University Wenzhou, China	Associate Professor	yuzhao@kean.edu
33	Prativa Kaspal	Women for Conservation & Bhaktapur Multiple Campus, Nepal	Founder & Lecturer	prativa.kaspal14@gmail.com
34	Bo Zhang	College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China & Wenzhou Municipal Key Laboratory for Applied Biomedical and Biopharmaceutical Informatics, Ouhai, Wenzhou, Zhejiang Province, 325060 China	Assistant Professor	boz@wku.edu.cn
35	Cheng Tung Chong	China-UK Low Carbon College, Shanghai Jiao Tong University, Lingang, Shanghai 201306, China	Associate Professor	ctchong@sjtu.edu.cn
36	Yu Meng	College of Science and Technology, Wenzhou-Kean University	Assistant Professor	ymeng@kean.edu
37	Aloysius Wong	College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China & Zhejiang Bioinformatics International Science and Technology Cooperation Centre, Wenzhou-Kean University, Wenzhou, China	Assistant Professor	alwong@kean.edu
38	Jianzhong Su	Institute of Biomedical Big Data, Wenzhou, Zhejiang, China	Professor	Sujz@wmu.edu.cn
39	Hasmahzaiti Omar	Museum of Zoology (Block J14), Institute of Biological Sciences, Faculty of Science, Universiti Malaya, 50603 Kuala Lumpur, Malaysia & Institute of Biological Sciences, Faculty of Science, Universiti Malaya, 50603 Kuala Lumpur, Malaysia	Senior Lecturer (Dr)	zaiti_1978@um.edu.my zaiti_1978@yahoo.com
40	Siim Pauklin	Nuffield Department of Orthopaedics, Rheumatology and Musculoskeletal Sciences, Old Road, University of Oxford, Oxford, OX3 7LD, UK	Principal Investigator	siim.pauklin@ndorms.ox.ac.uk
41	Bryan Raveen Nelson	Institute of Tropical Biodiversity and Sustainable Development, Universiti Malaysia Terengganu, 21030 Kuala Nerus, Terengganu, Malaysia	Senior Lecturer	bryan.nelson@umt.edu.my
42	Choo Hock Tan	Department of Pharmacology, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia	Associate Professor	tanch@um.edu.my
43	Hua Shen	College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China	Lecturer	hshen@kean.edu
44	Kum Thong Wong	Department of Pathology, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia	Professor	wongkt@ummc.edu.my
45	Avirup Dutta	Institute of Biomedicine and Translational Medicine, University of Tartu, Estonia	Research Fellow	avirupdutta@gmail.com

(continued)

No.	Name	Affiliation	Job Title	Email
46	Sean Heighton	Laboratoire Evolution et Diversité Biologique, UPS/CNRS/IRD, Université Paul Sabatier, 118 route de Narbonne, Bât. 4R1, 31062 Toulouse, France	PhD Student	sean-paul.heighton@univ-tlse3.fr thamukesh@gmail.com
47	Mukesh Thakur	Centre for DNA Taxonomy, Zoological Survey of India, New Alipore, Kolkata 700053, West Bengal, India	Senior Scientist	dchabi@gmail.com sgonedele@gmail.com
48	Chabi A.M.S.	Laboratory of Applied Ecology, University of Abomey Calavi, Benin	Senior Lecturer	dchabi@gmail.com
49	Bi Sery Gonedelé	Laboratory of Biotechnology, Agriculture and Valorization of Biological Resources, UFR Biosciences, Université Félix Houphouët Boigny, Abidjan, Côte d'Ivoire	Associate Professor	sgonedele@gmail.com
50	Stephan Ntie	Laboratoire de Biologie Moléculaire et Cellulaire (LABMC), Département de Biologie, Université des Sciences et Techniques de Masuku (USTM), BP 941, Franceville, Gabon	Assistant Professor	stephanntie@yahoo.fr
51	Ing Hoe Loh	School of Business and Management, RMIT University Vietnam, Handi Resco Building, 521 Kim Ma, Ba Dinh District, Hanoi, Vietnam	Lecturer	loh.inghoe@rmit.edu.vn
52	Chee-Kai Chan	Wenzhou Kean University College of Science and Technology Wenzhou, China	Assistant Professor	cchan@kean.edu
53	Hongyu Xu	Wenzhou Kean University College of Science and Technology Wenzhou, China	Assistant professor	hxu@kean.edu
54	Minyan Wang	Department of Biological Sciences, Xi'an Jiaotong-Liverpool University, Ren'ai Road, Suzhou, 215123 China	Senior Associate Professor	Minyan.wang@xjtlu.edu.cn
55	Ian C Paterson	Department of Oral and Craniofacial Sciences, Faculty of Dentistry, University Malaya, 50603, Kuala Lumpur, Malaysia	Professor	ipaterson@um.edu.my
56	Nick Ching-Min Sun	Department of Entomology, College of Agriculture and Natural Resources, National Chung Hsing University, Taiwan	Postdoctoral Researcher	nicksun99@gmail.com
57	Yongming Li	Institute of Infection, Veterinary and Ecological Sciences University of Liverpool, Leahurst Campus, Neston, Wirral, CH64 7TE UK	PhD student	Yongming.li@liv.ac.uk
58	Dago Dorji	Division Forest Office, Sarpang Department of Forests and Park Services, Ministry of Agriculture and Forests Bhutan, Bhutan	Senior Forest Ranger	ddorjee@moaf.gov.bt
59	Steve Paterson	Centre for Genomic Research, University of Liverpool, Liverpool, L69 7ZB UK	Professor	s.paterson@liverpool.ac.uk
60	Jingyang Hu	State Key Laboratory for Conservation and Utilization of Bio-Resources in Yunnan, School of Life Sciences, Yunnan University, Kunming, China	Research Associate	hujingyang@ynu.edu.cn
61	Siyuan Zhang	Pangolin Working Group, Biodiversity Conservation and Green Development Foundation (CBCGDF), Empark International Apartment, No. 69, Banding Road, Haidian District, Beijing, China	Leader of Pangolin Working Group	sophia@cbcgdf.org
62	Tay Sun Tee	Department of Medical Microbiology, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia	Professor	tayst@um.edu.my
63	Noël P.D. Juvigny-Khenafou	Quantitative Landscape Ecology, Institute for Environmental Sciences, University Koblenz-Landau, Fortstrasse 7, 76829 Landau in der Pfalz, Germany	Postdoctoral	juvigny-khenafou@uni-landau.de
64	Naresh V R Mutha	Division of Infectious Diseases, Vanderbilt University Medical Center, Nashville-TN, USA	Post-Doctoral Research Fellow	naresh.mutha@vmc.org
65	Muhamad Afiq Aziz	Institute of Biological Sciences, Faculty of Science, Universiti Malaya, 50603 Kuala Lumpur, Malaysia	Senior Lecturer	afiqaziz@um.edu.my

## References

- Chao, J.T., Li, H.F., Lin, C.C., 2020. In: Challender, D.W.S., Nash, H.C., Waterman, C. (Eds.), *The Role of Pangolins in Ecosystems in Pangolins, Science, Society and Conservation*, pp. 43–48 <https://doi.org/10.1016/b978-0-12-815507-3.00003-4>.
- Gaubert, P., et al., 2018. The complete phylogeny of pangolins: scaling up resources for the molecular tracing of the most trafficked mammals on earth. *J. Hered.* 109, 347–359. <https://doi.org/10.1093/jhered/esx097>.
- Sarah Heinrich, T.A.W., Prowse, Thomas A.A., Ross, Joshua V., Delean, Steven, Shepherd, Chris R., 2016. Phillip cassey. Where did all the pangolins go? International CITES trade in pangolin species. *Glob. Ecol. Conserv.* 8, 241–253.
- Hua, L., et al., 2015. Captive breeding of pangolins: current status, problems and future prospects. *Zookeys*, 99–114 <https://doi.org/10.3897/zookeys.507.6970>.
- Lihua, C., Liang, X., Hui, X., Yunya, X., Zhongfeng, X., 2010. *Protection and Cultivated Technology of Pangolin [J]. Asia-Pacific Traditional Medicine* 2, 006. *Protection and Cultivated Technology of Pangolin. Asia-Pacific Traditional Medicine*. 2, p. 2010.
- Choo, S.W., et al., 2016. Pangolin genomes and the evolution of mammalian scales and immunity. *Genome Res.* 26, 1312–1322. <https://doi.org/10.1101/gr.203521.115>.
- Yan, D., Zeng, X., Jia, M., Guo, X., Deng, S., Tao, L., Huang, X., Li, B., Huang, C., Que, T., Li, K., Liang, W., Zhao, Y., Liang, X., Zhong, Y., Platto, S., Choo, S.W., 2021. Successful captive breeding of a malayan pangolin population to the third filial generation. *Commun. Biol.* 4. <https://doi.org/10.1038/s42003-021-02760-4>.
- Ostrowski, S., Bedin, E., Lenain, D.M., Abuzinada, A.H.Ten, 1998. Years of arabian oryx conservation breeding in Saudi Arabia-achievements and regional perspectives. *Oryx* 32, 209–222.
- Sanz, V., Grajal, A., 1998. Successful reintroduction of captive-raised Yellow-shouldered Amazon Parrots on Margarita Island, Venezuela. *Conserv. Biol.* 12 (2), 430–441.
- Schmitz, P., C. S. Warren, P., Witte, K., 2015. First steps into the wild – exploration behavior of European bison after the first reintroduction in Western Europe. *PLoS ONE* 10, e0143046. <https://doi.org/10.1371/journal.pone.0143046>.
- Stüwe, M., Nievergelt, B., 1991. Recovery of alpine ibex from near extinction: the result of effective protection, captive breeding, and reintroductions. *Appl. Anim. Behav. Sci.* 29 (1), 379–387.
- Hirzel, A.H., Posse, B., Oggier, P.A., Crettenand, Y., Glenz, C., Arlettaz, R., 2004. Ecological requirements of reintroduced species and the implications for release policy: the case of the bearded vulture. *J. Appl. Ecol.* 41 (6), 1103–1116.
- Heighton, S.P., Gaubert, P., 2021. A timely systematic review on pangolin research, commercialization, and popularization to identify knowledge gaps and produce conservation guidelines. *Biol. Conserv.* 256, 109042. <https://doi.org/10.1016/j.biocon.2021.109042> ISSN 0006-3207.
- Cyranski, D., 2020. Mystery deepens over animal source of coronavirus. *Nature* 579, 18–19. <https://doi.org/10.1038/d41586-020-00548-w>.
- Kangpeng Xiao, J.Z., Feng, Yaoyu, Zhou, Niu, Zhang, Xu, Zou, Jie-Jian, Li, Na, Guo, Yaqiong, Li, Xiaobing, Shen, Xuejuan, Zhang, Zhipeng, Shu, Fanfan, Huang, Wanyi, Li, Yu, Zhang, Ziding, Chen, Rui-Ai, Wu, Ya-Jiang, Peng, Shi-Ming, Huang, Mian, Xie, Wei-Jun, Cai, Qin-Hui, Hou, Fang-Hui, Liu, Yahong, Chen, Wu, Xiao, Lihua, Shen, Yongyi, 2020. Isolation and Characterization of 2019-nCoV-like Coronavirus From Malayan Pangolins. *bioRxiv* <https://doi.org/10.1101/2020.02.17.951335>.
- Tommy Tsan-Yuk Lam, M.H.-H.S., Zhu, Hua-Chen, Tong, Yi-Gang, Ni, Xue-Bing, Liao, Yun-Shi, Wei, Wei, Cheung, William Yiu-Man, Li, Wen-Juan, Li, Lian-Feng, Leung, Gabriel M., Holmes, Edward C., Hu, Yan-Ling, Guan, Yi, 2020. Identification of 2019-nCoV Related Coronaviruses in Malayan Pangolins in Southern China. *bioRxiv* <https://doi.org/10.1101/2020.02.13.945485>.
- Department of Forestry of Guangxi Zhuang Autonomous Region, 2020. About the preprint platform, bioRxiv published the Malayan pangolins seized in Guangxi carrying the 2019-nCoV related coronavirus (关于预印本论文平台BioRxiv公布广西查获的马来穿山甲携带与2019-nCoV相关的冠状病毒的说明). <http://lyj.gxzf.gov.cn/zfxgkz/ldzdgknr/gggs/t2208199.shtml>.
- Hu, B., Ge, X., Wang, L.F., Shi, Z., 2015. Bat origin of human coronaviruses. *Virology* 12, 221. <https://doi.org/10.1186/s12985-015-0422-1>.
- Siew Woh Choo, J.Z., Tian, Xuechen, Zhang, Siyuan, Qiang, Shen, O'Brien, Stephen J., Tan, Ka Yun, Platto, Sara, Koepfli, Klaus-Peter, Antunes, Agostinho, Sitam, Frankie Thomas, 2020. Are pangolin scapegoats of the COVID-19 outbreak-CoV transmission and pathology evidence? *Conserv. Lett.* 13 (6), 13:e12764.

Boni, M.F., et al., 2020. Evolutionary origins of the SARS-CoV-2 sarbecovirus lineage responsible for the COVID-19 pandemic. *Nat. Microbiol.* <https://doi.org/10.1038/s41564-020-0771-4>.

Lee, J., et al., 2020. No evidence of coronaviruses or other potentially zoonotic viruses in sundra pangolins (*Manis javanica*) entering the wildlife trade via Malaysia. *EcoHealth* 17, 406–418. <https://doi.org/10.1007/s10393-020-01503-x>.

Aditya, V., Goswami, R., Mendis, A., Roopa, R., 2021. Scale of the issue: mapping the impact of the COVID-19 lockdown on pangolin trade across India. *Biol. Conserv.* 257, 109136. <https://doi.org/10.1016/j.biocon.2021.109136>.

Mwale, M., Dalton, D.L., Jansen, R., De Bruyn, M., Pietersen, D., Mokgokong, P.S., Kotzé, A., 2017. Forensic application of DNA barcoding for identification of illegally traded african pangolin scales. *Genome* 60 (3), 272–284.

Moorat, G., Reed, J., Bleay, S., Amaral, M.A., Chappell, B., Pamment, N., Plowman, C., Smith, P.A., 2020. The visualisation of fingerprints on pangolin scales using gelatine lifters. *Forensic Sci. Int.* 313, 110221.

Ewart, K.M., Lightson, A.L., Sitam, F.T., Rovie-Ryan, J., Nguyen, S.G., Morgan, K.I., Luczon, A., Anadon, E.M.S., De Bruyn, M., Bourgeois, S., Ouitavon, K., Kotze, A., Bakar, M.S.A., Salgado-Lynn, M., McEwing, R., 2021. DNA analyses of large pangolin scale seizures: species identification validation and case studies. *Forensic Sci. Int.* 1, 100014.

Xin, W., Ziao, Y., 2019. Keeping up with online wildlife trafficking in China. [https://www.traffic.org/site/assets/files/12116/wildlife\\_cyber\\_crime\\_trends\\_in\\_china.pdf](https://www.traffic.org/site/assets/files/12116/wildlife_cyber_crime_trends_in_china.pdf).

Siew Woh Choo

College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China

Zhejiang Bioinformatics International Science and Technology Cooperation Centre, Wenzhou-Kean University, Wenzhou, Zhejiang, China

Correspondence to: S. W. Choo, College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China.

E-mail address: [cwoh@wku.edu.cn](mailto:cwoh@wku.edu.cn).

Ju Lian Chong

Faculty of Science & Marine Environment, Universiti Malaysia Terengganu, 21030 Kuala Nerus, Terengganu, Malaysia

IUCN SSC Pangolin Specialist Group, C/O Zoological Society of London, Regents Park, London NW1 4RY, UK

Correspondence to: J. L. Chong, Faculty of Science & Marine Environment, Universiti Malaysia Terengganu, 21030 Kuala Nerus, Terengganu, Malaysia.

E-mail address: [julian@umt.edu.my](mailto:julian@umt.edu.my).

Philippe Gaubert

Laboratoire Evolution et Diversité Biologique, IRD/CNRS/UPS, Université Paul Sabatier, 118 route de Narbonne, Bât. 4R1, 31062 Toulouse, France

Alice Catherine Hughes

Biodiversity Conservation and Green Development Foundation (CBCGDF), Empark International Apartment, No. 69, Banding Road, Haidian District, Beijing, China

Stephen O'Brien

Laboratory of Genomic Diversity, Center for Computer Technologies, ITMO University, St. Petersburg 197101, Russia  
Guy Harvey Oceanographic Center, Halmos College of Arts and Sciences, Nova Southeastern University, 8000 North Ocean Drive, Ft Lauderdale, FL 33004, USA

Anne-Lise Chaber

School of Animal and Veterinary Science, Roseworthy campus, University of Adelaide, 5371 Roseworthy, South Australia, Australia

Agostinho Antunes

CIIMAR/CIMAR, Interdisciplinary Centre of Marine and Environmental Research, University of Porto, Terminal de Cruzeiros do Porto de Leixões, Av. General Norton de Matos, s/n, 4450–208 Porto, Portugal  
Department of Biology, Faculty of Sciences, University of Porto, Rua do Campo Alegre, 4169-007 Porto, Portugal

Sara Platto

Department of Biotechnology, College of Life Sciences, Jiangnan University, Wuhan, Hubei, China

Nick Ching-Min Sun

Department of Entomology, College of Agriculture and Natural Resources, National Chung Hsing University, Taiwan

Li Yu

State Key Laboratory for Conservation and Utilization of Bio-Resources in Yunnan, School of Life Sciences, Yunnan University, Kunming, China

Klaus-Peter Koepfli

Laboratory of Genomic Diversity, Center for Computer Technologies, ITMO University, St. Petersburg 197101, Russia  
Smithsonian-Mason School of Conservation, George Mason University, Front Royal, VA 22630, USA  
Smithsonian Conservation Biology Institute, Center for Species Survival, National Zoological Park, Washington, DC 20008, USA

Tulshi Laxmi Suwal

Small Mammal Conservation and Research Foundation, Balkhu Bandhudatta Marg, Kathmandu, Nepal

Mukesh Thakur

Zoological Survey of India, New Alipore, Kolkata 700053, West Bengal, India

Stephan Ntie

Laboratoire de Biologie Moléculaire et Cellulaire (LABMC), Département de Biologie, Université des Sciences et Techniques de Masuku (USTM), BP 941 Franceville, Gabon

Elisa Panjang

IUCN SSC Pangolin Specialist Group, C/O Zoological Society of London, Regents Park, London NW1 4RY, UK  
Danau Girang Field Centre, Sabah, Malaysia  
School of Biosciences, Cardiff University, UK

Jayaraj Vijaya Kumaran

Faculty of Earth Science, Universiti Malaysia Kelantan, UMK Jeli Campus, Jeli, Kelantan, Malaysia

Tariq Mahmood

IUCN SSC Pangolin Specialist Group, C/O Zoological Society of London, Regents Park, London NW1 4RY, UK  
Department of Wildlife Management, PMAS Arid Agricultural University Rawalpindi, Pakistan

Sean P. Heighton

Laboratoire Evolution et Diversité Biologique, IRD/CNRS/UPS, Université Paul Sabatier, 118 route de Narbonne, Bât. 4R1, 31062 Toulouse, France

Dago Dorji

Division Forest Office, Sarpang Department of Forests and Park Services, Ministry of Agriculture and Forests, Bhutan

Bi Sery Gonedelé

Laboratory of Biotechnology, Agriculture and Valorization of Biological Resources, UFR Biosciences, University Félix Houphouët Boigny, Abidjan, Côte d'Ivoire

Bryan Raveen Nelson

Institute of Tropical Biodiversity and Sustainable Development, Universiti Malaysia Terengganu, 21030 Kuala Nerus, Terengganu, Malaysia

Chabi A.M.S. Djagoun

Laboratory of Applied Ecology, University of Abomey Calavi, Benin

Ing Hoe Loh

School of Business and Management, RMIT University Vietnam, Handi Resco Building, 521 Kim Ma, Ba Dinh District, Hanoi, Viet Nam

- Prativa Kaspal  
Women for Conservation & Bhaktapur Multiple Campus, Nepal
- Siim Pauklin  
Nuffield Department of Orthopaedics, Rheumatology and Musculoskeletal Sciences, Old Road, University of Oxford, Oxford OX3 7LD, UK
- Toby Michelena  
College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China
- Hongxiang Zhu  
Bossco Institute of Ecological Environment, Guangxi University, Nanning 530004, China
- Leonard Lipovich  
Department of Basic Sciences, College of Medicine, Mohammed Bin Rashid University of Medicine and Health Sciences, Dubai, United Arab Emirates
- Xuechen Tian  
College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China  
Wenzhou Municipal Key Laboratory for Applied Biomedical and Biopharmaceutical Informatics, Ouhai, Wenzhou, Zhejiang Province 325060, China
- Siwei Deng  
Botnar Research Centre, University of Oxford, Windmill Road, Oxford OX3 7LD, UK
- Christopher E. Mason  
Department of Physiology and Biophysics, Weill Cornell Medicine, 1305 York Ave., New York, NY 10021, USA
- Jingyang Hu  
State Key Laboratory for Conservation and Utilization of Bio-Resources in Yunnan, School of Life Sciences, Yunnan University, Kunming, China
- Robert White  
Department of Physiology, Development and Neuroscience, University of Cambridge, Downing St, Cambridge CB2 3DY, UK
- Nicholas S. Jakubovics  
School of Dental Sciences, Faculty of Medical Sciences, Framlington Place, Newcastle University, Newcastle-upon-Tyne NE2 4BW, UK
- Wei Yee Wee  
School of Science, Monash University Malaysia, 47500 Bandar Sunway, Malaysia
- Tze King Tan  
Cancer Science Institute of Singapore, National University of Singapore, 117599, Singapore
- Kum Thong Wong  
Department of Pathology, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia
- Steve Paterson  
Centre for Genomic Research, University of Liverpool, Liverpool L69 7ZB, UK
- Ming Chen  
Department of Bioinformatics, College of Life Sciences, Zhejiang University, Hangzhou 310058, China  
The First Affiliated Hospital, Zhejiang University School of Medicine, Hangzhou 310058, China  
Institute of Hematology, Zhejiang University, Hangzhou 310058, China
- Yixin Zhang  
Research Center of Landscape Protection & Ecological Restoration, China-Portugal Belt and Road Cooperation Laboratory of Cultural Heritage Conservation Science, Soochow University, Suzhou, Jiangsu 215123, China
- Rofina Yasmin Othman  
Centre for Research in Biotechnology for Agriculture, Universiti Malaya, 50603 Kuala Lumpur, Malaysia
- Larry C. Brown  
College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China
- Bairong Shen  
Institutes for Systems Genetics, Frontiers Science Center for Disease-Related Molecular Network, West China Hospital, Sichuan University, Xinchuan Road 2222, Chengdu, Sichuan, China
- Guanghou Shui  
State Key Laboratory of Molecular Developmental Biology, Institute of Genetics and Developmental Biology, Chinese Academy of Sciences, Beijing 100101, China
- Mia Yang Ang  
Department of Clinical Genome Informatics, Graduate School of Medicine, The University of Tokyo, Tokyo 113-0033, Japan
- Yunqi Zhao  
College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China
- Yongming Li  
Institute of Infection, Veterinary and Ecological Sciences, University of Liverpool, Leahurst Campus, Neston, Wirral CH64 7TE, UK
- Bo Zhang  
College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China  
Wenzhou Municipal Key Laboratory for Applied Biomedical and Biopharmaceutical Informatics, Ouhai, Wenzhou, Zhejiang Province 325060, China
- Cheng Tung Chong  
China-UK Low Carbon College, Shanghai Jiao Tong University, Lingang, Shanghai 201306, China
- Yu Meng  
College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China
- Aloysius Wong  
College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China  
Zhejiang Bioinformatics International Science and Technology Cooperation Centre, Wenzhou-Kean University, Wenzhou, Zhejiang, China
- Jianzhong Su  
Institute of Biomedical Big Data, Wenzhou Medical University, Wenzhou, Zhejiang, China
- Hasmahzaiti Omar  
Museum of Zoology (Block J14), Institute of Biological Sciences, Faculty of Science, Universiti Malaya, 50603 Kuala Lumpur, Malaysia  
Institute of Biological Sciences, Faculty of Science, Universiti Malaya, 50603 Kuala Lumpur, Malaysia



Hua Shen <i>College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China</i>	Siyuan Zhang <i>Pangolin Working Group, Biodiversity Conservation and Green Development Foundation (CBCGDF), Empark International Apartment, No. 69, Banding Road, Haidian District, Beijing, China</i>
Choo Hock Tan <i>Department of Pharmacology, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia</i>	Avirup Dutta <i>Institute of Biomedicine and Translational Medicine, University of Tartu, Estonia</i>
Hongyu Xu <i>College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China</i>	Tay Sun Tee <i>Department of Medical Microbiology, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia</i>
Ian C. Paterson <i>Department of Oral and Craniofacial Sciences, Faculty of Dentistry, University Malaya, 50603 Kuala Lumpur, Malaysia</i>	Noël P.D. Juvigny-Khenafou <i>Quantitative Landscape Ecology, Institute for Environmental Sciences, University Koblenz-Landau, Fortstrasse 7, 76829 Landau in der Pfalz, Germany</i>
Minyan Wang <i>Department of Biological Sciences, Xi'an Jiaotong-Liverpool University, Ren'ai Road, Suzhou 215123, China</i>	Naresh V.R. Mutha <i>Division of Infectious Diseases, Vanderbilt University Medical Center, Nashville, TN, USA</i>
Chee-Kai Chan <i>College of Science and Technology, Wenzhou-Kean University, Zhejiang Province, China</i>	Muhamad Afiq Aziz <i>Institute of Biological Sciences, Faculty of Science, Universiti Malaya, 50603 Kuala Lumpur, Malaysia</i>